

CATÁLOGO 2026

COD-26062026

AKABA

REFRIGERADORES

BERTAZZONI	Código	Descripción	Color
	REF36FDFIXNV	36" French door refrigerator - Freestanding - Stainless	Acero
	HK36MASFDX	Handles Kit Master Series 36" french door (901248)	Acero
	HK36PROFDX	Handles Kit Professional Series 36" french door (901249)	Acero

***Modelo hasta agotar existencias.**

***Jaladeras no incluídas. Debe cotizarse equipo + jaladeras.**





Especificaciones

Size	36 in	Door storage	6 gallon sized bins
Volume	Ref 15.9 cu.ft / Frz 6.6 cu.ft	Ice maker	Automatic ice maker 3.08 lbs / 24h
Door finish	Stainless steel look		
User interface	Internal digital LED touch interface	Settings	Super cool, Super freeze, Ice maker
Lighting	Top and sidewall LED lights		
Refrigerator shelves	1 fixed and 4 height-adjustable, of which 1 retractable		
Refrigerator crisper	1 large with preset temperature + 2 medium with adjustable humidity		
Freezer compartment	2 drawers		

Technical specifications

Electrical supply	115 V 60 HZ - 190 W - 2.5 Amp
Power connection	NEMA 5-15P with 67" power cord
Sound rating	45 dbA
Water connection	1/4" waterline with shut-o° valve
Water supply pressure	MIN 0.15 MPa (1.5 Bar, 21.32 PSI) MAX 0.83 MPa (8.3 Bar, 120.96 PSI)
Certification	CEC,UL
Warranty	2 years parts & labor
Packaging dimensions	W 38 3/16" H 72 7/16" D 30 9/16"
Weight	298.0 lbs





REFRIGERADORES

BERTAZZONI	Código	Descripción	Color
	RFD36FZNX	FREESTANDING COUNTER-DEPTH FRENCH DOOR REFRIGERATOR 36"	**Stainless Steel**
	HK36PROFD3X	Professional Handle Kit – Stainless Steel	
	HK36MASFD3X	Master Handle Kit – Stainless Steel	
	HK36MASFD3XG	Master Handle Kit – Stainless Steel w/ Gold Finials	
	HK36HERFD3XG	Heritage Handle Kit – Stainless Steel w/Gold Finials	

***Producto disponible Q2 - 2027. *Jaladeras no incluidas**





Especificaciones

Size	36 in	Ice maker	Automatic ice maker 2.6 lbs / 24 h
Volume	Ref 18 cu.ft / Frz 8.2 cu.ft		
Door finish	No fingerprint stainless steel	Settings	Super cool, Super freeze, Water filter reset, Ice maker, Sabbath mode
User interface	Internal digital LED touch interface		
Lighting	Top LED and side ambient LED lights		
Refrigerator shelves	2 full-width and 2 height-adjustable half-width		
Door storage	6 gallon-sized (4 fixed and 2 height-adjustable)		
Freezer compartment	1 deep drawer and 1 internal drawer		

Technical specifications

Electrical supply	115 V 60 HZ
Power connection	NEMA 5-15P with 67" power cord
Sound rating	43 dbA
Water connection	1/4" waterline with shut-off valve
Water supply pressure	Min 0.15 MPa (1.5 bar, 21.32 PSI) Max 0.83 MPa (8.3 bar, 120.96 PSI)
Weight	282.00 lbs



BERTAZZONI	Código	Descripción	Color
	REF36BMBZPNV	36 inch Bottom Mount Built-in Refrigerator Panel Ready with ice maker & internal water dispenser. Reversible door.	Panelable
	PROHK36PI	Handle kit - Professional series for REF36BMBZPNV (cod. tecnico 901462)	
	MASHK36PI	Handle kit - Master series for REF36BMBZPNV (cod. tecnico 901463)	
	HERHK36P	Handle kit - Heritage series for REF36BMBZPNV (cod. tecnico 901509)	
	SP36BMX	Stainless steel door panels kit for REF36BMBZPNV (codigo tecnico 901609)	
	CTXV	Union Kit for 2 units of REF36BMBZPNV (codigo tecnico 901602)	







Especificaciones

Size	36 in	Door storage	1 gallon sized + 2 height adjustable bins
Volume	Ref 14.2 cu.ft / Frz 5.6 cu.ft	Ice maker	Automatic ice maker 3.9 lbs / 24hrs
Door finish	Panel Ready	Settings	Super cool, Super freeze, Ice maker, Walter filter replacement alarm. Water dispenser, Eco mode, vacation mode. Sabbath mode.
User interface	Internal digital LED touch interface		
Lighting	Top and sidewall LED lights		
Refrigerator shelves	1 stationary + 2 height-adjustable		
Refrigerator drawers	1 + 1 fresco drawer with separate temperature control		
Freezer compartment	2 drawers		

Technical specifications	
Electrical supply	115 V 60 HZ - 120 W - 3 Amp
Power connection	NEMA 5-15P with 90" power cord
Sound rating	43 dbA
Water connection	1/4" waterline with shut-o° valve
Water supply pressure	25-80 psi (1.7-5.5 bar)
Certification	ADA Compliant,CB,CEC,ETL
Warranty	2 years parts & labor
Packaging dimensions	W 38 3/16" H 90 9/16" D 26 3/8"
Weight	417.0 lbs



BERTAZZONI	Código	Descripción	Color
	REF24BMBPNB	24" Bottom Mount integrated panel ready sliding door ***Producto sin máquina de hielos incluida.**	Panelable Int.
	REF24BMBIPNV	24" Bottom Mount integrated panel ready sliding door ***Producto con máquina de hielos incluida.**	Panelable Int.

Especificaciones

Worktop	
Size	24 in
Volume	Ref 6.2 cu.ft / Frz 2.4 cu.ft
Finishing	White
Door finish	Panel ready
Interface	Internal digital LED touch interface
Lighting	LED on top
Refrigerator shelves	1 stationary + 3 height adjustable
Refrigerator drawers	1 + 1 fresco drawer with separate temperature and humidity control
Freezer compartment	3 drawers
Door storage	1 bin with lid - 2 height adjustable open bins
Settings	Super cool, Super freeze, Eco mode, Vacation mode

Technical specifications	
Voltage, Frequency, Amps	115 V 60 HZ - 85 W - 0.8 Amp
Power Connection	NEMA 5-15P with 41" power cord
Certification	CEC / ETL
Energy star	Yes
Warranty	2 years parts & labor
Packaging dimentions and weight	W 22 7/16" H 72 7/16" D 22 9/16" Weight 139.0lbs

SIDE



FRONT



TOP







COLUMNAS DE REFRIGERADOR

BERTAZZONI	Código	Descripción	Color
	REF30RCBPNV	30" Refrigerator (Larder), reversible, panel ready	Panelable

Especificaciones

Size	30 in	Refrigerator drawers	1 crisper + 3 Fresco drawers with separate temperature control
Cooling system	frost free	Door storage	1 height-adjustable gallon-sized bin + 2 stationary bins
User interface	LED touch control interface	Water filter	internal
Display functions	Door adjar alarm, Super Cool, Water filter replacement reminder, Water dispenser, Eco Mode, Vacation Mode, Sabbath Mode	Water supply pressure	25 psi to 80 psi
		Sound rating	43 dbA
Lighting	LED side & top rail illumination	Certification	ADA Compliant, CEC, ETL
Door ajar alarm	yes	DOE compliant	yes
Door finishing	panel ready	**Technical specifications**	
Cabinet finishing	stainless steel back wall	Sound rating	43
Refrigerator net capacity	16.7 cu.ft	Electrical supply	115 V - 60 Hz - 112 W - 2 Amp
Refrigerator shelves	3 height-adjustable + 1 stationary	Power connection	NEMA 5-15P with 90" power cord
		Energy consumption	325.0 kWh/yr

BERTAZZONI	Código	Descripción	Color
	REF24RCBPNV	24" Refrigerator (Larder), reversible, panel ready	Panelable

Especificaciones

Size	24 in	Refrigerator drawers	1 crisper + 3 Fresco drawers with separate temperature control
Cooling system	frost free	Door storage	1 height-adjustable gallon-sized bin + 2 stationary bins
User interface	LED touch control interface	Water filter	internal
Display functions	Door adjar alarm, Super Cool, Water filter replacement reminder, Water dispenser, Eco Mode, Vacation Mode, Sabbath Mode	Water supply pressure	25 psi to 80 psi
		Sound rating	41 dbA
Lighting	LED side & top rail illumination	Certification	ADA Compliant, CEC, ETL
Door ajar alarm	yes	DOE compliant	yes
Door finishing	panel ready	**Technical specifications**	
Cabinet finishing	stainless steel back wall	Sound rating	41
Refrigerator net capacity	12.5 cu.ft	Electrical supply	115 V - 60 Hz - 112 W - 2 Amp
Refrigerator shelves	3 height-adjustable + 1 stationary	Power connection	NEMA 5-15P with 90" power cord
		Energy consumption	295.0 kWh/yr

COLUMNAS DE CONGELADOR

BERTAZZONI	Código	Descripción	Color
 	REF18FCBIPLV	18" Freezer, left hinge, panel ready	Panelable

Especificaciones

Size	18 in	Freezer drawers	4
Cooling system	frost free	Automatic ice maker	yes
User interface	LED touch control interface	Ice production capacity	3.9 lbs/24hrs
Display functions	Door ajar alarm, Super Freeze, Ice maker, Water filter replacement reminder, Eco mode, Vacation mode, Sabbath mode	Water filter	internal
		Water supply pressure	25 psi to 80 psi
		Sound rating	43 dbA
		Certification	ADA Compliant, CEC, ETL
Lighting	LED lights on sides and top	DOE compliant	yes
Door ajar alarm	yes		
Door finishing	panel ready		
Cabinet finishing	stainless steel back wall		
Door storage	3 height-adjustable bins		
Freezer net capacity	8.6 cu.ft^3		
Freezer shelves	3 height-adjustable + 1 stationary		

Technical specifications

Sound rating	43
Electrical supply	115 V - 60 Hz - 160 W - 2 Amp
Power connection	NEMA 5-15P with 90" power cord
Energy consumption	452.0 kWh/yr

BERTAZZONI	Código	Descripción	Color
 	REF24FCBIPNV	24" Freezer, reversible, panel ready	Panelable

Especificaciones

Size	24 in	Freezer drawers	4
Cooling system	frost free	Automatic ice maker	yes
User interface	LED touch control interface	Ice production capacity	3.9 lbs/24hrs
Display functions	Door ajar alarm, Super Freeze, Ice maker, Water filter replacement alarm, Eco mode, Vacation mode, Sabbath mode	Water filter	yes
		Water supply pressure	25 psi to 80 psi
		Sound rating	41 dbA
		Certification	ADA Compliant, CEC, ETL
Lighting	LED lights on sides and top	DOE compliant	yes
Door ajar alarm	yes		
Door finishing	panel ready		
Cabinet finishing	stainless steel back wall		
Freezer net capacity	12.4 cu.ft^3		
Freezer shelves	3 height-adjustable + 1 stationary		

Technical specifications

Sound rating	41
Electrical supply	115 V - 60 Hz - 160 W - 2 Amp
Power connection	NEMA 5-15P with 90" power cord
Energy consumption	511.0 kWh/yr

COLUMNAS DE CAVA DE VINOS

BERTAZZONI	Código	Descripción	Color
	REF18WCBPRV	18" Wine Cellar, right hinges, panel ready	Panelable



Especificaciones

Size	18 in
Cooling system	Three temperature zones
User interface	LED touch control interface
Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode
Lighting	LED lights interior illumination
Door ajar alarm	yes
Door finishing	panel ready
Cabinet finishing	stainless steel back wall
Wine racks	14 wooden shelves
Bottle capacity	68 bottles
Sound rating	41 dbA
Certification	DOE Compliant, ETL

Technical specifications

Electrical supply	115 V - 60 Hz - 1.5 A
Power rating	150W
Power connection	NEMA 5-15P with 90" power cord
Energy consumption	226.0 kWh/yr

BERTAZZONI	Código	Descripción	Color
	REF18WCBPLV	18" Wine Cellar, left hinges, panel ready	Panelable



Especificaciones

Size	18 in
Cooling system	Three temperature zones
User interface	LED touch control interface
Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode
Lighting	LED lights interior illumination
Door ajar alarm	yes
Door finishing	panel ready
Cabinet finishing	stainless steel back wall
Wine racks	14 wooden shelves
Bottle capacity	68 bottles
Sound rating	41 dbA
Certification	DOE Compliant, ETL

Technical specifications

Electrical supply	115 V - 60 Hz - 1.5 A
Power rating	150W
Power connection	NEMA 5-15P with 90" power cord
Energy consumption	226.0 kWh/yr

BERTAZZONI	Código	Descripción	Color
	REF24WCBPNV	24" wine cellar, reversible, panel ready	Panelable



Especificaciones	
Size	24 in
Cooling system	Three temperature zones
User interface	LED touch control interface
Display functions	Entertainment mode, Light color selection, Sabbath mode, Showroom mode
Lighting	LED lights interior illumination
Door ajar alarm	yes
Door finishing	panel ready
Cabinet finishing	stainless steel back wall
Wine racks	14 wooden shelves
Bottle capacity	100 bottles
Sound rating	41 dbA
Certification	DOE Compliant, ETL

Technical specifications	
Electrical supply	115 V - 60 Hz - 1.5 A
Power rating	150W
Power connection	NEMA 5-15P with 90" power cord
Energy consumption	252.0 kWh/yr

ACCESORIOS

ACCESORIOS PARA REFRIGERADORES	
Código	**Descripción**
SP18CX	Steel panles for REF18FCBIP.V
SP30CX	Steel panels for REF30RCBPNV
SP24CX	Steel panels for columns RED24 (RC & FC)
MASHKCOL	Master Series handle kit for premium columns
PROHKCOL	Professional series handle kit for premium columns
HERHKCOL	Heritage Series handle kit for premium columns
901667	Carbonio Panels for colum REF18FC
901665	Carbonio Panels for column REF24RC/FC
901666	Carbonio Panels for column REF30RC/FC
901664	Carbonio Panels for column REF36RC
901669	Professional Titanium Handle for Columns
910027	Custom Panel handle insert kitCustom Panel handle insert kit
PROHK36PI	Handle kit - Professional series for REF36BMBZPNV (cod. tecnico 901462)
MASHK36PI	Handle kit - Master series for REF36BMBZPNV (cod. tecnico 901463)
HERHK36P	Handle kit - Heritage series for REF36BMBZPNV (cod. tecnico 90159
BHFDX	Bottle holder

ACCESORIOS PARA CAVAS	
Código	**Descripción**
SP18WXV	Steel panles for REF18WCBPV
SP24WXV	Steel panles for REF24WCBPNV
901663	Crbonio panles for Wine Column REF18W
901662	Carbonio panels for Wine Column REF24W
DS2HERTSB	@j_ai l¸aicj bcamp qcr PCD $ BU
DS2HERTGO	Emjb bcamp qcr PCD $ BU
DS2HERTPC	Amnncp bcamp qcr PCD $ BU

***Si las columnas se van a panelar y requieren usar las jaladeras de la marca, se requiere cotizar el Kit #9100277 para la instalación de las jaladeras en los paneles de cocina. Este Kit no se requiere cuando se instala con el panel de acero.**

ESTUFAS 36" MASTER SERIES

BERTAZZONI	Código	Descripción	Color
	MAS365GASXVLP	36" Master Series range - Gas oven - 5 aluminum burners **(Conversion kit included)**	Acero
	MAS365GASNG	36" Master Series range - Gas oven - 5 aluminum burners **(Conversion kit included)**	Negro
	MAS365GASBG	36" Master Series range - Gas oven - 5 aluminum becomin **(Conversion kit included)**	Blanco







Especificaciones

Worktop		Oven Cavity	
Size	36 in	Oven configuration	single
Cooking zones	5	Oven fuel	gas
Gas zones	5	Oven type	fan assisted gas
Worktop type	gas	Oven broiler type	gas
Worktop design	stainless steel squared	Cooking modes	bake / broiler / convection bake
Worktop controls	Knobs	Oven volume	5.9 ft^3
Knobs	solid metal	Oven convection system	dual horizontal fans
Burner type	aluminium	Oven controls	knobs / thermometer
Grates	cast iron	Inner oven door	triple
Continous grating	yes	Removable inner glass	yes
Thermocouple safety device	yes	Cooling fan	yes
One-hand ignition	yes	Oven levels	7
Backguard	yes	Door hinge	soft-motion
Wok ring	yes	Wire-shelves	2 standard with handle
Simmer ring	yes	Tray	1 baking tray with grill trivet
Cookinf zones		Grill trivet for tray	yes
Power burners	1300 BTU/h - 19 000 BTU/h (1)	Oven lights	double lateral
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)	**Bottom**	
Medium burner	1500 BTU/h - 5900 BTU/h (2)	Legs	stainless steel
Simmer burner	750 BTU/h - 3500 BTU/h (1)	**Technical specifications**	
		Absorbed current (A)	2.5 A with dedicated circuit
		Electrical supply	110V 60 Hz - 300W





Productos con existencias disponibles. Lista de precios al público.
Los precios están expresados en dolares americanos y no incluyen IVA.

AKABA

ESTUFAS 36" PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción	Color
	PRO366BCFGMXT	36" Professional Series range - Gas oven - 6 brass burners	Acero
	PRO366BCFGMBIT	36" Professional Series range - Gas oven - 6 brass burners *Hasta agotar existencias	Blanco
	PRO366BCFGMGIT	36" Professional Series range - Gas oven - 6 brass burners	Amarillo
	PRO366BCFGMART	36" Professional Series range - Gas oven - 6 brass burners	Naranja
	PRO366BCFGMROT	36" Professional Series range - Gas oven - 6 brass burners	Rojo
	PRO366BCFGMXTLP	36" Professional Series range - Gas oven - 6 brass burners LP Version	Versión LP
	PRO366BCFGMCAT	36" Professional Series range - Gas oven - 6 brass burners	Carbonio









Especificaciones

Worktop	
Size	36 in
Cooking zones	6
Gas zones	6 Burners
Worktop type	gas
Worktop design	stainless steel squared
Knobs	metal coated
Burner type	brass
Grates	cast iron
Continous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Wok ring	yes
Simmer ring	yes
Cast iron griddle	yes

Cookinf zones	
Power burners	1300 BTU/h - 19 000 BTU/h (2)
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)
Medium burner	1500 BTU/h - 5900 BTU/h (2)
Simmer burner	900 BTU/h - 3500 BTU/h (1)

Oven Cavity	
Oven configuration	single
Oven fuel	gas
Oven type	fan assisted gas
Oven broiler type	gas
Oven functions	bake / broiler / convection bake
Oven volume	5.9 ft^3
Oven convection system	dual horizontal fans
Inner oven door	triple
Removable inner glass	yes
Cooling fan	yes
Oven levels	7
Door hinge	soft-close
Sliding shelves	2 sets of telescopic glides
Wire-shelves	2 heavy duty
Tray	1 baking tray with grill trivet
Grill trivet for tray	yes
Oven lights	double lateral

Bottom	
Legs	stainless steel

Technical specifications	
Absorbed current (A)	2.5 A with dedicated circuit
Electrical supply	110V 60 Hz - 300W





ESTUFAS 48" MASTER SERIES

BERTAZZONI	Código	Descripción	Color
	MAS486GGASXVLP	48" Master Series range - Gas Oven - 6 aluminum burners + griddle **(Conversion kit included)**	Acero Version LP
	MAS486GGASNG	48" Master Series range - Gas Oven - 6 aluminum burners + griddle	Negro
	MAS486GGASBG	48" Master Series range - Gas Oven - 6 aluminum burners + griddle	Blanco
	MAS486GGASNEV ***Hasta agotar existencias**	48" Master Series range - Gas Oven - 6 aluminum burners + griddle	Negro











Especificaciones

Worktop	
Size	48 in
Cooking zones	7
Gas zones	6 Burners
Griddle zones	electric
Worktop type	electric / gas
Worktop design	stainless steel squared
Worktop controls	Knobs
Knobs	solid metal
Burner type	aluminium
Grates	cast iron
Continous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Simmer ring	yes
Cookinf zones	
Power burners	1300 BTU/h - 19 000 BTU/h (2)
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)
Medium burner	1500 BTU/h - 5900 BTU/h (2)
Simmer burner	750 BTU/h - 3500 BTU/h (1)
Griddle power	1100 W

Oven Cavity	
Oven configuration	double
Oven fuel	gas
Oven convection system	dual horizontal fans
Main oven type	fan assisted gas
Main oven broiler type	gas
Main oven functions	bake / broiler / convection bake
Main oven volume	4.7 ft^3
Auxiliary oven type	gas conventional
Auxiliary oven functions	bake
Auxiliary oven volume	2.4 ft^3
Oven control	knobs / thermometer
Inner oven door	triple
Removable inner glass	yes
Cooling fan	yes
Oven levels	7
Door hinge	soft-motion
Wire-shelves	2 each cavity
Tray	1 baking tray with grill trivet
Grill trivet for tray	yes
Oven lights	double lateral
Bottom	
Legs	stainless steel
Technical specifications	
Absorbed current (A)	10 A with dedicated circuit
Electrical supply	110V 60 Hz - 1200W





Productos con existencias disponibles. Lista de precios al público.
Los precios están expresados en dolares americanos y no incluyen IVA.

ESTUFAS 48" PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción	Color
	PRO486BTFGMXT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Acero
	PRO486BTFGMGIT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Amarillo
	PRO486BTFGMART	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Naranja
	PRO486BTFGMROT	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Rojo
	PRO486BTFGMXTLP	48" Professional Series range - Gas Oven - 6 brass burners + griddle	Versión LP












Especificaciones

Worktop	
Size	48 in
Cooking zones	7
Gas zones	6 Burners
Griddle zones	electric
Worktop type	electric / gas
Worktop design	stainless steel squared
Worktop controls	knobs
Knobs	metal coated
Burner type	brass
Grates	cast iron
Continous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Wok ring	yes
Simmer ring	yes

Cookinf zones	
Power burners	1300 BTU/h - 19 000 BTU/h (2)
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)
Medium burner	1500 BTU/h - 5900 BTU/h (2)
Simmer burner	750 BTU/h - 3500 BTU/h (1)
Griddle power	1100 W
Griddle dual control	yes
Griddle drip tray	yes

Oven Cavity	
Oven configuration	double
Oven fuel	gas
Oven type	gas conventional
Oven convection system	dual horizontal fans
Main oven type	fan assisted gas
Main oven broiler type	gas
Main oven functions	bake / broiler / convection bake / defrosting
Main oven volume	4.7 ft^3
Auxiliary oven type	gas conventional
Auxiliary oven broiler type	gas
Auxiliary oven functions	bake
Auxiliary oven volume	2.4 ft^3
Oven controls	knobs / thermometer
Inner oven door	triple
Removable inner glass	yes
Cooling fan	yes
Oven levels	7
Food probe	yes
Door hinge	soft-close
Sliding shelves	2 sets of telescopic glides
Wire-shelves	2 each cavity
Tray	1 baking tray with grill trivet
Grill trivet for tray	yes
Oven lights	double lateral

Bottom	
Legs	stainless steel

Technical specifications	
Absorbed current (A)	10 A with dedicated circuit
Electrical supply	110 V 60 Hz - 1200W

ESTUFAS SERIE HERITAGE 36"

BERTAZZONI	Código	Descripción	Color
	HER366BCFGMNG	36" Heritage Series range - Gas Oven - 6 brass burners	Negro
	HER366BCFGMXG	36" Heritage Series range - Gas Oven - 6 brass burners	Acero
	HER366BCFGMAG	36" Heritage Series range - Gas Oven - 6 brass burners	Crema
	HER366BCFGMNET	36" Heritage Series range - Gas Oven - 6 brass burners *Hasta agotar existencias	Negro
	HER366BCFGMXT	36" Heritage Series range - Gas Oven - 6 brass burners *Hasta agotar existencias	Acero





Especificaciones

Worktop	
Size	36 in
Cooking zones	6
Gas zones	6 Burners
Worktop type	gas
Worktop design	stainless steel squared
Worktop controls	knobs
Knobs	solid metal
Burner type	brass
Grates	cast iron
Continous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Work adapter	yes
Wok ring	yes
Simmer ring	yes
Cast iron griddle	yes

Cookinf zones	
Power Burners	1300 BTU/h - 19 000 BTU/h (2)
Rapid Burner	2500 BTU/h - 10 400 BTU/h (1)
Medium Burner	1500 BTU/h - 5900 BTU/h (2)
Simmer Burner	750 BTU/h - 3500 BTU/h (1)

Technical specifications	
Absorbed current (A)	2.5 A with dedicated circuit
Electrical supply	110V 60 Hz - 300W

Oven Cavity	
Oven configuration	single
Oven fuel	gas
Oven type	fan assisted gas
Oven broiler type	gas
Cooking modes	bake/broil/convection bake
Oven volume	5.9 ft^3
Oven convection system	dual horizontal fans
Oven controls	knobs/thermometer
Inner oven door	triple
Removable inner glass	yes
Cooling fan	yes
Oven levels	7
Food probe	yes
Door hinges	soft-close
Sliding shelves	2 set of telescopic glides
Wire-shelves	2 heavy duty
Tray	1 baking tray with grill trivet
Grill trivet for tray	yes
Oven lights	double lateral

Bottom	
Legs	stainless steel







Productos con existencias disponibles. Lista de precios al público.
Los precios están expresados en dolares americanos y no incluyen IVA.

AKABA

ESTUFAS SERIE HERITAGE 48"

BERTAZZONI	Código	Descripción	Color
	HER486BTFGMNG	48" Heritage Series range - Gas Oven - 6 brass burners + griddle	Negro
	HER486BTFGMXG	48" Heritage Series range - Gas Oven - 6 brass burners + griddle	Acero
	HER486BTFGMAG	48" Heritage Series range - Gas Oven - 6 brass burners + griddle	Crema
	HER486BTFGMNET	48" Heritage Series range - Gas Oven - 6 brass burners + griddle *Hasta agotar existencias	Negro Mate
	HER486BTFGMAVT	48" Heritage Series range - Gas Oven - 6 brass burners + griddle *Hasta agotar existencias	Crema









Especificaciones

Worktop	
Size	48 in
Cooking zones	7
Gas zones	6 Burners
Griddle zones	electric
Worktop type	electric / gas
Worktop design	stainless steel squared
Worktop controls	knobs
Knobs	solid metal
Burner type	brass
Grates	cast iron
Continous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Wok ring	yes
Simmer ring	yes

Cookinf zones	
Power burners	1300 BTU/h - 19 000 BTU/h (2)
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)
Medium burner	1500 BTU/h - 5900 BTU/h (2)
Simmer burner	750 BTU/h - 3500 BTU/h (1)
Griddle power	1100 W
Griddle dual control	yes
Griddle drip tray	yes

Technical specifications	
Absorbed current (A)	10 A with dedicated circuit
Electrical supply	110V 60 Hz - 1200W

Oven Cavity	
Oven configuration	double
Oven fuel	gas
Oven type	gas conventional
Oven convection system	dual horizontal fans
Main oven type	fan assisted gas
Main oven broiler type	gas
Main oven functions	bake/broiler/convection bake/defrosting
Main oven volume	4.7 ft^3
Auxiliary oven type	gas conventional
Auxiliary oven broiler type	gas
Auxiliary oven functions	bake
Auxiliary oven volume	2.4 ft^3
Oven controls	knobs/thermometer
Inner oven door	triple
Removable inner glass	yes
Cooling fan	yes
Oven levels	7
Food probe	yes
Door hinges	soft-close
Sliding shelves	2 sets of telescopic glides
Wire-shelves	2 each cavity
Tray	1 baking tray with grill trivet
Grill trivet for tray	yes
Oven lights	double lateral

Bottom	
Legs	stainless steel

CAMPANAS SERIE HERITAGE 36"

BERTAZZONI	Código	Descripción	Color
	KC36HERTX	36" Canopy Hood Stainless	Acero
	KC36HERTAV	36" Canopy Hood Ivory	Crema mate
	KC36HERTNE	36" Canopy Hood Nero	Negro
	*Motor no incluido.		

Especificaciones

Worktop		Lights	2 LED
Size	36 in	Hood finishing	stainless steel and matt or glossy color
Hood		Sound rating	1.3 - 8.6 Sones
Hood type	wallmount	Max extraction power	600 CFM
Hood control	electronic with buttons	**Technical specifications**	
Duct cover	included	Electrical supply	120 V - 60 Hz - 3.30 A
Motor	1	Power rating	400 W
Speed	3		
Filters type	ba°e stainless steel		

Motor para campana HERITAGE 36"

K36HERTX	Motor 600 CFMS

***Se debe cotizar campana más motor.**





CAMPANAS SERIE HERITAGE 48"

BERTAZZONI	Código	Descripción	Color
	KC48HERTX	48" Canopy Hood Stainless	Acero
	KC48HERTAV	48" Canopy Hood Ivory	Crema mate
	KC48HERTNE	48" Canopy Hood Nero	Negro mate

***Motor no incluido.**

Especificaciones

Worktop	
Size	48 in
Hood	
Hood type	wallmount
Hood control	electronic with buttons
Duct cover	included
Motor	1
Speed	3
Filters type	ba°e stainless steel
Lights	2 LED
Hood finishing	stainless steel and matt or glossy color
Sound rating	1.3 - 8.6 Sones
Max extraction power	600 CFM
Technical specifications	
Electrical supply	120 V - 60 Hz - 3.30 A
Power rating	400 W

Motor para campana HERITAGE 48"

K48HERTX	Motor 600 CFMS

***Se debe de cotizar campana + motor.**



ACCESORIOS OPCIONALES ESTUFAS

Código	Descripción
901309	Satainless Steel Grid SG36X (Works for rangetops and DB an QB Cooktops)
901472	Satainless Steel Grid CIG36 (Works for all ranges)

DECOR SET PARA CAMPANA Y ESTUFA HERITAGE 36" - 48"	
Código	**Descripción**
DSHERTKHGO	Decor Set 1- Range & Hood Kit : Gold Finish
DSHERTKHPC	Decor Set 1- Range & Hood Kit : Polished Copper Finish
DSHERTKHSB	Decor Set 1- Range & Hood Kit : Matt Satin Black Finish





DECOR SET PARA ESTUFAS MASTER 36" - 48"	
Código	**Descripción**
DSMASGKSG	10 x knobs in Gold
DSMASGKSB	10 x knobs in Black Nickel
DSMASHSG	2 x handle finials in Gold
DSMASHSB	2 x handle finials in nickel




PARRILLAS DE INDUCCIÓN PROFESSIONAL SERIES

BERTAZZONI	Código	Descripción
	PE304TB	30" Induction Cooktop 4 Induction Zones - TFT Display ***Producto disponible Q1 - 2027.**
	P304IAE	30" 4-INDUCTION ZONES ***Hasta agotar existencias**



Especificaciones

Worktop		Cooking zones	
Size	30 in	Induction 2 bridge zones	yes
Cooking zones	4	Induction front left	2100W (3700 W booster)
Induction zones	54	Induction back left	2100W (3700 W booster)
Worktop type	induction	Induction center	(N.A. W booster)
Worktop design	ceramic glass bevelled	Induction front right	1400W (2200 W booster)
Worktop controls	touch controls	Induction back right	N.A.W
		Technical speciÿcations	
		Electrical supply	208 V, 60 Hz 240 V 60 HZ W
		Power rating	7400 W

BERTAZZONI	Código	Descripción
	PE365TB	36" - Induction Hob - TFT Display - Bertazzoni Assistent ***Producto disponible Q1 - 2027.**
	P365IAE	30" 4-INDUCTION ZONES ***Hasta agotar existencias**



Especificaciones

Worktop		Cooking zones	
Size	36 in	Induction front left	(2100W (3700 W booster)
Cooking zones	5	Induction back left	2100W (3700 W booster)
Induction zones	5	Induction front right	1400W (2200 W booster)
Worktop type	induction	Induction back right	2300W (3700 W booster)
Worktop design	ceramic glass bevelled		
Worktop controls	touch controls		
		Technical speciÿcations	
		Electrical supply	208 V , 60 Hz - 240 V 60 HZ W
		Power rating	11100 W W



PARRILLAS ENCIMERAS DE GAS BERTAZZONI

BERTAZZONI	Código	Descripción	Color
	P905CPROX	90cm Gas on steel Cooktop, 5 Brass Burners	Acero

Especificaciones

Worktop		Cooking zones	
Size	90 cm	Front right	1 auxiliary 0.48 kW - 1.00 kW
Worktop surface	stainless steel	Back right	1 rapid 1.05 kW - 3.00 kW
Layout	5 burners	Center	1 wok dual 0.48 kW - 5.00 kW
Worktop controls	knobs	Front left	1 semi-rapid 0.60 kW - 1.75 kW
Knobs	metal	Back left	1 semi-rapid 0.60 kW - 1.75 kW
Pan supports	cast iron	**Technical specifications**	
Burner type	brass	Electrical requirements	220/240, 50/60 Hz, 1A, 1W
Work burner	5 kW dual		
Flame failure device	-		
One-hand ignition	-		
Standard accessories	-		

BERTAZZONI	Código	Descripción	Color
	MAST366QBXT	36" Built-in cooktop master series	Acero

Especificaciones

Worktop		Cooking zones	6
Size	36 in	Griddle zones	electric
Maintop	6 burner	Worktop type	electric/gas
Burner power	1 power burners 17000 BTU 1 rapid burner 10400 BTU 3 medium burners 6000 BTU 1 simmer burner 3750 BTU	Worktop desing	stainless steel
		Knobs	solid metal
		Burner type	brass
Ignition system	Electric with thermocouple safety device	**Technical specifications**	
Grates	Cast iron	Electrical requirements	120 V - 60 Hz - 1 A
		Power rating	1 W

BERTAZZONI	Código	Descripción	Color
	PROF366QBXT	36" Built-in cooktop profesional series	Acero

Especificaciones

Worktop		Cooking zones	6
Size	36 in	Griddle zones	electric
Maintop	6 burner	Worktop type	electric/gas
Burner power	1 power burners 17000 BTU 1 rapid burner 10400 BTU 3 medium burners 6000 BTU 1 simmer burner 3750 BTU	Worktop desing	stainless steel
		Knobs	solid metal
		Burner type	brass
Ignition system	Electric with thermocouple safety device	**Technical specifications**	
Grates	Cast iron	Electrical requirements	120 V - 60 Hz - 1 A
		Power rating	0.01 W

PARRILLAS DE GAS

BERTAZZONI	Código	Descripción	Color
	PROF486GRTBXT	48" Rangetop 6 Brass Burners + Griddle Profesional Series	Acero



Especificaciones

Worktop		Cooking zones	7
Size	48 in	Griddle zones	electric
Maintop	6 burners + stainless steel griddle with cover	Worktop type	electric/gas
Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel squared
		Knobs	solid metal
		Burner type	brass
Ignition system	Electric with thermocouple safety device	**Technical specifications**	
		Electrical requirements	120 V - 60 Hz - 10 A
Grates	Cast iron	Power rating	1100 W

BERTAZZONI	Código	Descripción	Color
	MAST486GRTBXT	48" Rangetop 6 Brass Burners + Griddle Master Series	Acero



Especificaciones

Worktop		Cooking zones	7
Size	48 in	Griddle zones	electric
Maintop	6 burners + stainless steel griddle with cover	Worktop type	electric/gas
Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel squared
		Knobs	solid metal
		Burner type	brass
Ignition system	Electric with thermocouple safety device	**Technical specifications**	
		Electrical requirements	120 V - 60 Hz - 10 A
Grates	Cast iron	Power rating	1100 W



Productos con existencias disponibles. Lista de precios al público.
Los precios están expresados en dolares americanos y no incluyen IVA.

AKABA

BERTAZZONI	Código	Descripción	Color
	PROF366RTBXT	36" Rangetop 6 Brass Burners Profesional Series	Acero

Especificaciones

Worktop		Cooking zones	6
Size	36 in	Griddle zones	electric
Maintop	6 burner	Worktop type	electric/gas
Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel
		Knobs	solid metal
		Burner type	brass
Ignition system	Electric with thermocouple safety device	**Technical specifications**	
Grates	Cast iron	Electrical requirements	120 V - 60 Hz - 1 A
		Power rating	1 W

BERTAZZONI	Código	Descripción	Color
	MAST366RTBXT	36" Rangetop 6 Brass Burners Master Series	Acero

Especificaciones

Worktop		Cooking zones	6
Size	36 in	Griddle zones	electric
Maintop	6 burner	Worktop type	electric/gas
Burner power	2 power burners 19000 BTU 1 rapid burner 10400 BTU 2 medium burners 5900 BTU 1 simmer burner 3500 BTU	Worktop desing	stainless steel
		Knobs	solid metal
		Burner type	brass
Ignition system	Electric with thermocouple safety device	**Technical specifications**	
Grates	Cast iron	Electrical requirements	120 V - 60 Hz - 1 A
		Power rating	0.01 W



HORNOS CONVECCIÓN 30"

BERTAZZONI	Código	Descripción	Color
	PROF30FSEXT	30" Single Convection Oven Top Version Profesional Series	Acero





Especificaciones

Worktop			
Size	30 in	Cavity finishing	pyrolityc grey enamel
Oven configuration	single	Oven handle	metal
Oven fuel	electric	Cooling fan	yes
Oven type	self-clean	Oven levels	7
Oven broiler type	electric	Timer	touch digital programmer
Oven functions	bake / broiler / convection/ convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / turbo / warming	Auto cooking modes	33 preset / with assistant
		Door hinge	soft-motion
		Sliding shelves	1 full extension
		Wire-shelves	2 heavy gauge chromed
		Tray	1 enamelled
Overall volume	4.10 ft^3	Grill trivet for tray	yes
Oven convection system	dual diagonal with heating element	Oven lights	double
		Technical specifications	
Oven controls	knobs / touch LCD hi res display	Electrical requirements	120/240 Vac - 60 Hz - 30 A
Inner oven door	quadruple	Power rating	5400 W
Removable inner glass	yes		

BERTAZZONI	Código	Descripción	Color
	MAST30FSEXT	30" Single Convection Oven Top Version Master Series	Acero





Especificaciones

Worktop			
Size	30 in	Oven handle	metal
Oven configuration	single	Cooling fan	yes
Oven fuel	electric	Oven levels	7
Oven type	self-clean	Timer	touch digital programmer
Oven broiler type	electric	Door hinge	soft-close
Oven functions	bake / broiler / convection/ convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / turbo / warming	Wire-shelves	2 heavy gauge chromed
		Tray	1 enamelled
		Grill trivet for tray	yes
		Oven lights	single
		Technical specifications	
Overall volume	4.10 ft^3	Electrical requirements	120/240 V - 60 Hz - 30 A
Oven convection system	dual diagonal with heating element	Power rating	5400 W
Oven controls	knobs / touch LED display		
Inner oven door	quadruple		
Removable inner glass	yes		
Cavity finishing	pyrolityc grey enamel		

BERTAZZONI	Código	Descripción	Color
	PROF30FSEXV	30" Single Convection Oven Value Version Profesional Series	Acero



Especificaciones

Worktop			
Size	30 in	Oven handle	metal
Oven configuration	single	Cooling fan	yes
Oven fuel	electric	Oven levels	7
Oven type	self-clean	Timer	touch digital programmer
Oven broiler type	electric	Door hinge	soft-motion
Oven functions	bake / broil / convection/ convection bake / convection broiler / defrosting / dehydrate / proofing / pyrolytic self clean / pizza / sabbath mode / warming	Wire-shelves	1 flat / 1 shaped
		Tray	1 baking tray whit roasting trivet
		Grill trivet for tray	yes
		Oven lights	single
Overall volume	4.10 ft^3	**Technical specifications**	
Oven convection system	dual diagonal with heating element	Electrical requirements	120/240 V - 60 Hz - 30 A
		Power rating	5400 W
Oven controls	knobs / touch LED display		
Inner oven door	quadruple		
Removable inner glass	yes		
Cavity finishing	pyrolityc grey enamel		

BERTAZZONI	Código	Descripción	Color
	MAST30FSEXV	30" Single Convection Oven Value Version Master Series	Acero



Especificaciones

Worktop			
Size	30 in	Oven handle	metal
Oven configuration	single	Cooling fan	yes
Oven fuel	electric	Oven levels	7
Oven type	self-clean	Timer	touch digital programmer
Oven broiler type	electric	Door hinge	soft-motion
Oven functions	bake / broil / convection / convection bake / convection broil / pizza / defrost / dehydrate / fast preheat/ keep warm / light / proof / self clean /timer	Wire-shelves	2 heavy gauge chromed
		Tray	1 enamelled
		Grill trivet for tray	yes
		Oven lights	single
Overall volume	4.10 ft^3	**Technical specifications**	
Oven convection system	dual diagonal with heating element	Electrical requirements	120/240 V - 60 Hz - 30 A
		Power rating	5400 W
Oven controls	knobs / touch LED display		
Inner oven door	quadruple		
Removable inner glass	yes		
Cavity finishing	pyrolityc grey enamel		

BERTAZZONI	Código	Descripción	Color
	PROF30SOEX	30" Convection Speed Oven Profesional Series	Acero



Especificaciones

Worktop			
Size	30 in	Oven handle	metal
Oven configuration	single	Microwave power	200 / 400 / 600 / 800 / 1000
Oven fuel	electric	Oven levels	2
Oven type	self-clean	Timer	yes
Oven broiler type	electric	Door hinge	soft-motion
Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Wire-shelves	1 flat / 1 shaped
		Tray	1 glass
		Grill trivet for tray	yes
		Oven lights	single
Overall volume	1.34 ft^3	**Technical specifications**	
Oven convection system	single whit ring heating element	Electrical requirements	120/240 V - 60 Hz - 16 A
Oven controls	touch LED display	Power rating	1500 W
Inner oven door	double		
Removable inner glass	yes		
Cavity finishing	stainless steel		

BERTAZZONI	Código	Descripción	Color
	MAST30SOEX	30" Convection Speed Oven Master Series	Acero





Especificaciones

Worktop			
Size	30 in	Oven handle	metal
Oven configuration	single	Microwave power	200 / 400 / 600 / 800 / 1000
Oven fuel	electric	Oven levels	2
Oven type	self-clean	Timer	yes
Oven broiler type	electric	Door hinge	soft-motion
Oven functions	broil / convection / microwave / convection broil / microwave whit broiler/ pizza / defrost by time / defrost by weight / light / popcorn / recipes / timer	Wire-shelves	1 flat / 1 shaped
		Tray	1 glass
		Grill trivet for tray	yes
		Oven lights	single
Overall volume	1.34 ft^3	**Technical specifications**	
Oven convection system	single whit ring heating element	Electrical requirements	120/240 V - 60 Hz - 30 A
Oven controls	touch LED display	Power rating	1500 W
Inner oven door	double		
Removable inner glass	yes		
Cavity finishing	stainless steel		

BERTAZZONI	Código	Descripción	Color
	MAST30CSEX	30" Convection Steam Oven Master Series *Hasta agotar existencias	Acero





Especificaciones

Worktop

Size	30 in
Oven configuration	single
Oven fuel	electric
Oven type	combination electric convection and steam
Oven broiler type	electric
Oven functions	broil / convection / convection broil / convection steam / steam only / descale / light / recipes / reheat / sterilize / timer / water hardness / setting
Overall volume	1.34 ft^3
Oven convection system	1 fan
Oven controls	touch LED display
Inner oven door	double
Removable inner glass	yes
Cavity finishing	stainless steel
Oven handle	metal
Shelf levels	2
Door hinges	soft-motion
Removable water tank	33.8 fl.oz

Technical specifications

Electrical requirements	240 V - 60 Hz - 30 A
Power rating	3200 W







Productos con existencias disponibles. Lista de precios al público.
Los precios están expresados en dolares americanos y no incluyen IVA.

HORNO CONVECCIÓN 24”

BERTAZZONI	Código	Descripción	Color
 	PROF24FSEXV	24” Electric Convection Oven Professional Series	Acero

Especificaciones

Worktop			
Size	24 in	Cavity finishing	black enamel
Oven configuration	Single	Oven handle	metal
Oven fuel	Electric	Cooling fan	yes
Oven broiler type	Electric	Oven levels	5
Cooking modes	bake / bottom bake / broil / convection / convection bake / convection broil / defrosting dehydrate / fast preheat / oven light / pizza / proofing turbo / upper bake	Timer	touch digital programmer
		Door hinges	soft-motion
		Wire-shelves	1 flat / 1 shaped
		Tray	1 baking tray with roasting trivet
Gross volume oven	2.70 ft^3	**Technical especiÿcations**	
Oven convection system	single	Electrical supply	120/240 V 60 Hz - 2800 W 208/240 V 60 Hz - 2100 W 16 Amp dedicated circuit
Oven controls	knobs / touch LED display	Power rating	Bake: 2050 W / Broiler: 2400 W / Convection: 1800 W
Inner oven door	triple	Power connection	metal conduit 59" power cord
Removable inner glass	yes	Certification	UL

BERTAZZONI	Código	Descripción	Color
 	PROF24SOEX	24” - Convection Speed Oven Professional Series	Acero

Especificaciones

Worktop			
Special functions	defrost by time / defrost by weight / light /popcorn / recipes timer	Grill trivet for tray	yes
		Turntable quantity	1 glass
Size	24 in		
Microwave type	combi-microwave		
Functions	broil / convection / microwave / convection broil microwave / microwave with broiler / pizza		
		Technical speciÿcations	
Total volume	1.34 ft^3	Electrical supply	240 V - 60 HZ - 3850 W / 16 Amp dedicated circuit Broiler: 1500 W / Convection: 1600 W
Oven convection system	single		
Oven controls	touch LED display		
Auto cooking modes	yes	Power connection	NEMA 6-20P with 71" power cord
Inner oven door	double		
Removable inner glass	yes	Certification	CETLUS
Cavity finishing	stainless steel		
Oven levels	2		
Microwave power levels	200 / 400 / 600 / 800 / 1000		
Clock/Timer	yes		
Tray	1 glass		

MICROONDAS

BERTAZZONI	Código	Descripción	Color
	MO30STANE/16	30" Microwave Oven ***Hasta agotar existencias**	Acero
	MO30STANE/24	30" Microwave Oven	Acero



Especificaciones

Worktop	
Size	30 in
Overall volume	2.00 ft^3
Cavity finishing	Enameled white
Microwave power levels	10 Levels
Preset cooking mode functions	yes
Multiple sequence cooking	4
Sensor reheat, defrost, cook	yes
Clock/Timer	yes
Cook time function	yes
Child lock	yes
Turnspit	1 Ø 16

Technical specifications	
Electrical requirements	120 V - 60 Hz - 10 A
Power rating	1100 W

TRIMS

BERTAZZONI	Código	Descripción	Color
	FR30PROX	30" Built-in Trim for MO30STANE	Acero

Especificaciones

Size	30 in
Type	Built-in Installation of MO30STANE 24" Microwave
Finishing	stainless steel



Productos con existencias disponibles. Lista de precios al público.
Los precios están expresados en dolares americanos y no incluyen IVA.

BERTAZZONI	Código	Descripción	Color
	FPRO30COVTX	30" Combo oven with Steam Assist ***Producto disponible Φ1 - 2027.**	Acero
	FPRO30COSTX	30" Combo oven with Steam Assist ***Producto disponible Φ1 - 2027.**	Acero
	FPRO30COVTC	30" Combo oven with Steam Assist ***Producto disponible Φ1 - 2027.**	Carbonio





Especificaciones

Worktop	
Size	30 in
Oven configuration	single
Oven fuel	electric
Oven type	Pyrolytic steam oven
Oven broiler type	electric
Oven functions	Assistant / Defrost / Dehydrate / Energy saving mode / Fast preheat / Keep warm / Light / Proof / Sabbath mode / Self clean / Timer
Oven Volume	4.8 cu.ft.
Microwave Volume	1.6 cu.ft.
Oven convection system	1 fan

Technical specifications	
Electrical requirements	120/208 V – 60 Hz
Power rating	– 8800 W
Electrical requirements	120/240 V – 60 Hz
Power rating	– 11000 W



Productos con existencias disponibles. Lista de precios al público.
Los precios están expresados en dolares americanos y no incluyen IVA.

BERTAZZONI	Código	Descripción	Color
	FPRO30FSSTX	30" Single oven with Self Clean ***Producto disponible Φ1 - 2027.**	Acero
	FPRO30FSVTC	30" Single oven with Self Clean ***Producto disponible Φ1 - 2027.**	Carbonio
	FPRO30FSVTX	30" Single oven with Self Clean ***Producto disponible Φ1 - 2027.**	Acero







Especificaciones

Worktop	
Size	30 in
Oven configuration	single
Oven fuel	electric
Oven type	Electric convection self-clean with electric broiler
Oven broiler type	Electric
Oven functions	Defrost / Dehydrate / Fast preheat / Keep warm / Light / Proof / Sabbath mode / Self clean / Timer
Oven convection system	1 fan

Technical specifications	
Electrical requirements	120/208 V 60HZ –
Power rating	4400 W
Electrical requirements	120/240 V 60 HZ –
Power rating	5500 W



Productos con existencias disponibles. Lista de precios al público.
Los precios están expresados en dolares americanos y no incluyen IVA.

CAJONES CALIENTES

BERTAZZONI	Código	Descripción	Color
	PROF30WDEX	30" Convection Warming Drawer	Acero



Especificaciones

Worktop		Technical specifications	
Size	30 in	Electrical supply	120 V - 60 Hz - 500 W 5 Amps
Design	Stainless steel	Power connection	NEMA 5-15P with 59" power cord
Volume	2.3 cu ft	Certification	CETLUS
Cavity finishing	Tempered glass bottom	Packaging dimensions and weight	W 26 3/8" H 13 1/2" D 32 3/4" 87.3 lbs
Temperature range	85 - 170 °F		

BERTAZZONI	Código	Descripción	Color
	MAST30WDEX	30" Convention Warming Drawer	Acero



Especificaciones

Worktop		Technical specifications	
Size	30 in	Electrical supply	120 V - 60 Hz - 500 W 5 Amps
Design	Stainless steel	Power connection	NEMA 5-15P with 59" power cord
Oven Volume	2.3 cu ft	Certification	CETLUS
Cavity finishing	Tempered glass bottom	Packaging dimensions and weight	W 26 3/8" H 13 1/2" D 32 3/4" 87.3 lbs
Temperature range	85 - 170 °F		

BERTAZZONI	Código	Descripción	Color
	WD60PROX	24" Warming Drawer Professional Series	Acero



Especificaciones

Worktop		Technical specifications	
Size	24 in	Voltage and frequency	220/240 V - 50/60 Hz
Design	Stainless steel	Absorbed power (W)	400 W
Controls	push/pull with soft motion operation		
Equipment	inner rubber matt / thermostat light on/o°		
Carring capacity	25kg		
Max temperature	85°C		

CAMPANA

BERTAZZONI	Código	Descripción	Color
	KIN36XV	36" - Insert Hood, 1 motors 560 CFM Professional Series	Acero



Especificaciones

Hood		Technical specifications	
Size	36 in	Electrical supply	110 V - 60 Hz - 3.30 A
Hood type	built-in	Power rating	410 W
Hood control	electronic with buttons	Power connection	NEMA 5-15P with 59" power cord
Motor	1	Certification	CEC, UL
Speed	3 + booster		
Filters type	aluminum mesh		
Lights	2 LED		
Hood finishing	stainless steel		
Duct size	6" diameter		
Sound rating	1.5 - 6 Sones		
Max extraction power	560 CFM		

Accesorios

901531	CHARCOAL FILTERS FOR KIN HOODS
901532	DURABLE CHARCOAL FILTERS FOR KIN HOODS
901575	REMOTE CONTROL FOR KIN HOODS
901395	Charcoal Filter for KIN hoods

LAVAVAJILLAS

BERTAZZONI	Código	Descripción	Color
	DW24T3IPV	24" - Dishwasher Tall Tub Panel Ready, Professional Series	Acero





Especificaciones

Worktop			
Size	24 in	Delayed start	yes
Place setting	15	Lighting	floor projection status light
Controls	concealed multi-button	Drying system	PowerDry Plus
Interior finish	stainless steel	Overflow protection device	yes
User interface	LED display	Filter system	triple stage metal filter
Spray arms	3	Certification	CEC, NSF, UL
Number of racks	3		
Cutlery basket	sliding		
Wash cycle	6 - auto, crystal and china, pots and pans, quick, regular, rinse and hold		
Wash Options	7 - accel, extra dry, delay start, 3 half load modes, sanitize, scrub, stealth		

Technical specifications	
Electrical supply	120 V - 60 Hz - 12 A
Power rating	1400 W
Energy consumption	234 kWh

Accesorios

HK24PRODWX	Handle Kit for 24 Dishwasher Professional series
HK24MASDWX	Handle Kit for 24 Dishwasher Master Series
HK24HERDWX	Handle Kit for 24 Dishwasher Heritage Series
901661	Carbonio Panels for dishwasher DW24T
901668	Profesional Titanium Handle for Dishwasher

Productos con existencias disponibles. Lista de precios al público.
Los precios están expresados en dolares americanos y no incluyen IVA.

CAFETERA

BERTAZZONI	Código	Descripción	Color
	CM242WTXT	24" Built-In Coffee Machine with Stainless Steel Panels	Acero

Especificaciones

Worktop	
Size	24 in
Design	Stainless steel
User interface	Full touch TFT display 4.3"
Certification	UL

Technical specifications	
Electrical supply	120 V - 60 Hz - 1350 W 6 Amp
Power connection	67" power cord with plug
Automatic rising	yes
Automatic descaling	yes
Coffee length	extra large/large/medium/ small
Pump pressure	15 bar



AKABA

akaba.mx