CATÁLOGO REGADERAS NOM 2025

COD-11112025

DELTA

see what Delta can do™



PRODUCT FINISHES

Our versatile designs aren't just stylish—they're paired with a wide range of finishes to help them complement any kitchen or bathroom décor. Add warmth, texture, depth and color to your vision.



(AR) Arctic® Stainless
(AR-PR) Lumicoat® Arctic Stainless



(BL) Matte Black



(CH) Chrome
(PR) Lumicoat Chrome



(CZ) Champagne Bronze™
(CZ-PR) Lumicoat Champagne Bronze



(GB) Brushed Gold



(KS) Black Stainless
(KS-PR) Lumicoat Black Stainless



(PN) Polished Nickel
(PN-PR) Lumicoat Polished Nickel



(RB) Venetian Bronze®



(SP) SpotShield® Stainless



(SS) Brilliance Stainless
(SS-PR) Lumicoat Stainless



(WH) White



(CS) Chrome + Matte Black



(GS) Champagne Bronze + Porcelain



(GZ) Champagne Bronze + Matte Black
(GZ-PR) Lumicoat Champagne Bronze + Matte Black



(SM) Brilliance Stainless + Matte Black

H₂OKINETIC® TECHNOLOGY

Most standard shower heads leave water unchanged, missing an opportunity to transform your shower experience and conserve water. Our innovative Delta® H₂Okinetic Technology creates advanced, unique water patterns, efficiently delivering 3x the coverage of a standard shower head* and the feeling of more water and water pressure. Each of our sprays equipped with this technology make every shower feel like a retreat.



SPRAY OPTIONS

H₂OKINETIC POWERDRENCH®



Concentrated and powerful water patterns create a refreshing and invigorating experience. It adds more intensity, immersion and warmth to every single shower.



The invigorating, focused spray wakes up your skin for a total body revitalization.



Intense Invigorating Spray vs Standard Shower



Spray creates powerful water patterns, for an energizing experience.





The full immersion spray relaxes your body and turns your shower into a serene retreat.



Dense Natural Rainfall Spray vs Standard Shower



Spray creates saturating water patterns, for a relaxing experience.

H₂OKINETIC ULTRASOAK™



Saturating water patterns create a peaceful experience by mimicking the sensation of a dense, natural rainfall. The perfect choice to prepare for, or melt away, any kind of day.

*Coverage measured in accordance with EPA WaterSense® Specification for shower heads, March 4, 2010.





RP101842
Single-Setting Shower Head

- Single-setting shower head
- 3 1/2" spray face
- Touch-Clean® spray holes
- Full Body Spray



Model RP101842BL
Flow 1.75 gpm



Model RP101842SS
Flow 1.75 gpm



RP34355
Premium 3-Setting Shower Head

- Three-setting shower head
- 5 1/2" spray face
- 4 1/4" shower head
- Touch-Clean® spray holes
- Dial changes spray settings
- Coordinates with Victorian® Bath Collection
- Full Body Spray, Massage Spray, Soft Drench Spray



Model RP34355CB
Flow 2.5 gpm



Model RP34355CZ
Flow 2.5 gpm



Model RP34355PB
Flow 2.5 gpm



Model RP34355RB
Flow 2.5 gpm



Model RP34355SS
Flow 2.5 gpm



RP48590
Universal Showering
Premium 3-Setting Shower Head

- Three-setting shower head
- 4 1/2" spray face
- 4" shower head depth
- Touch-Clean® spray holes
- Dial changes spray settings
- Full Body Spray, Massage Spray, Soft Drench Spray



Model RP48590SS
Flow 2.5 gpm



57740
Metal Raincan Shower Head Assembly

- Single-setting shower head, arm and flang
- 8" square finished spray fac
- 2 1/2" shower head dept
- Touch-Clean® spray hole
- All metal constructio
- 16" long shower ar
- Full Body Spra

Model 57740
Flow 1.75 gpm



52688-BL
H2OKinetic® 3-Setting Raincan Shower Head

- Three-setting H2Okinetic® shower head
- 7 3/4" spray face
- 3 1/2" shower head depth
- Self-cleaning H2Okinetic® and Touch-Clean® spray holes
- Lever changes spray settings
- Pause, Full Body Spray, H2Okinetic® PowerDrench® Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Model 52688-CZ-PR
Flow 1.75 gpm



Model 52688-KS-PR
Flow 1.75 gpm



Model 52688-PR
Flow 1.75 gpm



Model 52688-RB
Flow 1.75 gpm



Model 52688-SS-PR
Flow 1.75 gpm



RP70175BL

Universal Showering
H2Okinetic ® Single-Setting Raincan Shower Head

- Single-setting H2Okinetic® shower head
- 5 1/2" spray face
- 2 5/8" shower head depth
- Self-cleaning H2Okinetic® spray holes
- H2Okinetic® PowerDrench® Spray



Model RP70175CZ
Flow 1.75 gpm



Model RP70175CZPR
Flow 1.75 gpm



Model RP70175PNPR
Flow 1.75 gpm



Model RP70175PR
Flow 1.75 gpm



Model RP70175RB
Flow 1.75 gpm



Model RP70175SSPR
Flow 1.75 gpm



RP70175-15

Universal Showering
H2Okinetic ® Single-Setting Raincan Shower Head

- Single-setting H2Okinetic® shower head
- 5 1/2" spray face
- 2 5/8" shower head depth
- Self-cleaning H2Okinetic® spray holes
- H2Okinetic® PowerDrench® Spray



Model RP70175-BL15
Flow 1.75 gpm



Model RP70175-SS15
Flow 1.75 gpm



52160-BL25

Universal Showering H2Okinetic®
Single Setting Shower Head with UltraSoak™

- Single-setting shower head
- 12" spray face
- 2 3/8" shower head depth
- Touch-Clean® spray holes
- H2Okinetic® Ultrasoak™ Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Model 52160-PR25
Flow 2.25 gpm



Model 52160-RB25
Flow 2.25 gpm



Model 52160-SS-PR25
Flow 2.25 gpm



Model 52160-PN-PR25
Flow 2.5 gpm



Model 52160-KS-PR25
Flow 2.5 gpm



Model 52160-CZ-PR25
Flow 2.5 gpm



52160-BL

Universal Showering H2Okinetic®
Single Setting Shower Head with UltraSoak™

- Single-setting shower head
- 12" spray face
- 2 3/8" shower head depth
- Touch-Clean® spray holes
- H2Okinetic® Ultrasoak™ Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Model 52160-PR
Flow 1.75 gpm



Model 52160-RB
Flow 1.75 gpm



Model 52160-PN-PR
Flow 1.75 gpm



Model 52160-KS-PR
Flow 1.75 gpm



Model 52160-CZ-PR
Flow 1.75 gpm



52161-BL25

Universal Showering H2Okinetic®
Single Setting Shower Head with UltraSoak™

- Single-setting shower head
- 12" spray face
- 2 3/8" shower head depth
- Touch-Clean® spray holes
- H2Okinetic® Ultrasoak™ Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Model 52161-KS-PR25
Flow 2.5 gpm



Model 52161-PR25
Flow 2.5 gpm



Model 52161-CZ-PR25
Flow 2.5 gpm



Model 52161-SS-PR25
Flow 2.5 gpm



Model 52161-RB25
Flow 2.5 gpm



Model 52161-PN-PR25
Flow 2.5 gpm



52161-BL

Universal Showering H2Okinetic®
Single Setting Shower Head with UltraSoak™

- Single-setting shower head
- 12" spray face
- 2 3/8" shower head depth
- Touch-Clean® spray holes
- H2Okinetic® Ultrasoak™ Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Model 52161-KS-PR
Flow 1.75 gpm



Model 52161-PR
Flow 1.75 gpm



Model 52161-CZ-PR
Flow 1.75 gpm



Model 52161-SS-PR
Flow 1.75 gpm



Model 52161-RB
Flow 1.75 gpm



Model 52161-PN-PR
Flow 1.75 gpm



52158-25

Universal Showering

Single-Setting Metal Raincan Shower Head

- Single-setting shower head
- 11 3/4" spray face
- 2 3/8" shower head depth
- Touch-Clean. spray holes
- All brass construction
- Soft Rain Spray
- PR - Lumicoat. finishes, guaranteed to resist mineral buildup and hard water stains



Model 52158-BL25
Flow 2.5 gpm



Model 52158-CZ25
Flow 2.5 gpm



Model 52158-CZ-PR25
Flow 2.5 gpm



Model 52158-KS-PR25
Flow 2.5 gpm



Model 52158-PN-PR25
Flow 2.5 gpm



Model 52158-PR25
Flow 2.5 gpm



Model 52158-RB25
Flow 2.5 gpm



Model 52158-SS25
Flow 2.5 gpm



Model 52158-SS-PR25
Flow 2.5 gpm



52158-BL

Single-Setting Metal Raincan Shower Head

- Single-setting shower head
- 11 3/4" spray face
- 2 3/8" shower head depth
- Touch-Clean® spray holes
- All brass construction
- Soft Rain Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Model 52158-CZ-PR
Flow 1.75 gpm



Model 52158-KS-PR
Flow 1.75 gpm



Model 52158-PN-PR
Flow 1.75 gpm



Model 52158-PR
Flow 1.75 gpm



Model 52158-RB
Flow 1.75 gpm



Model 52158-SS-PR
Flow 1.75 gpm



52159-25

Universal Showering
Single-Setting Metal Raincan Shower Head

- Single-setting shower head
- 11 3/4" spray face
- 2 3/8" shower head depth
- Touch-Clean® spray holes
- All brass construction
- Soft Rain Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Model 52159-BL25
Flow 2.5 gpm



Model 52159-CZ25
Flow 2.5 gpm



Model 52159-CZ-PR25
Flow 2.5 gpm



Model 52159-KS-PR25
Flow 2.5 gpm



Model 52159-PN-PR25
Flow 2.5 gpm



Model 52159-PR25
Flow 2.5 gpm



Model 52159-RB25
Flow 2.5 gpm



Model 52159-SS25
Flow 2.5 gpm



Model 52159-SS-PR25
Flow 2.5 gpm



52159-BL

Universal Showering
Single-Setting Metal Raincan Shower Head

- Single-setting shower head
- 11 3/4" spray face
- 2 3/8" shower head depth
- Touch-Clean® spray holes
- All brass construction
- Soft Rain Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Model 52159-CZ
Flow 1.75 gpm



Model 52159-CZ-PR
Flow 1.75 gpm



Model 52159-KS-PR
Flow 1.75 gpm



Model 52159-PN-PR
Flow 1.75 gpm



Model 52159-PR
Flow 1.75 gpm



Model 52159-RB
Flow 1.75 gpm



Model 52159-SS-PR
Flow 1.75 gpm



RP50841

Universal Showering
Single-Setting Raincan Shower Head

- Single-setting shower head
- 8" spray face
- 2 1/2" shower head depth
- Touch-Clean® spray holes
- Soft Rain Spray



Model RP50841SS
Flow 2.5 gpm



Model RP50841BL
Flow 2.5 gpm



ISH11009

Universal Showering
Single-Setting 5" Shower Head in Chrome

Model
ISH11009

- Finish: Chrome plated
- Φ 5 1/16" (Φ 128mm)1 function touch-clean showerhead.
- G 1/2-ISO228/1:2000 thread connection.
- Model with water flow restricted.
- Wrench flats for tightening.



RP52382

Universal Showering
Single-Setting Raincan Shower Head

- Single-setting shower head
- 8 3/4" spray face
- 2 1/2" shower head depth
- Touch-Clean® spray holes
- Full Body Spray



Model
RP52382RB
Flow
2.5 gpm



Model
RP52382SS
Flow
2.5 gpm



RP62955CZPR

Universal Showering
Single-Setting Raincan Shower Head

- Single-setting shower head
- 8 5/8" x 5 45/64" spray face
- 2 1/4" shower head depth
- Touch-Clean® spray holes
- All metal construction
- Full Body Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



Model
RP62955KSPR
Flow
2.5 gpm



Model
RP62955PR
Flow
2.5 gpm



Model
RP62955RB
Flow
2.5 gpm



Model
RP62955SSPR
Flow
2.5 gpm



Model
RP62955PNPR
Flow
2.5 gpm



Model
RP62955BL
Flow
2.5 gpm



55085

Premium Single-Setting Adjustable Wall Mount Hand Shower

- Single-setting hand showe
- Adjustable wall moun
- 60" - 82" stretchable metal hos
- Touch-Clean® spray hole
- Stand-alone hand shower available as RP7338
- Full Body Spra



Model	Flow
55085-BL	1.75 gpm
55085-CZ	1.75 gpm
55085-KS	1.75 gpm
55085-RB	1.75 gpm
55085-SS	1.75 gpm
55085-PN	1.75 gpm



57085

Premium Single-Setting Slide Bar Hand Shower

- Single-setting hand showe
- 24" long all metal construction wall bar with adjustable slid
- 60" - 82" stretchable metal hos
- Touch-Clean® spray hole
- Stand-alone hand shower available as RP7338
- Full Body Spra



Model	Flow
57085-CZ	1.75 gpm
57085-RB	1.75 gpm
57085-SS	1.75 gpm
57085-PN	1.75 gpm
57085-BL	1.75 gpm



RP73384

Single-Setting Hand Shower

- Full body spray provides a steady, full-coverage spray perfect for every shower need, from rinsing shampoo from hair to relaxing tired muscles
- Hose sold separately
- Mounting bracket sold separately
- WaterSense® labeled showers use at least 20% less water than the industry standard—saving you money without compromising performance
- Certified dual check valves for backflow protection
- Genuine Delta repair part
- Lifetime limited warranty
- View Delta Faucet's Return Policy



Model	Flow
RP73384PN	1.75 gpm
RP73384KS	1.75 gpm
RP73384BL	1.75 gpm
RP73384RB	1.75 gpm
RP73384SS	1.75 gpm
RP73384CZ	1.75 gpm



RP33098

Handle Piece - Hand Shower

- Spray settings include: Full Bo
- Hose sold separate
- Does not ship to CA, WA, HI, OR, NY, ME NY, NJ, MA, CO, RI or VT.
- View Delta Faucet's Return Poli



55433

Universal Showering H2Okinetic ®
3-Setting Adjustable Wall Mount Hand Shower



Model 55433-CZ
Flow 1.75 gpm



Model 55433-PN
Flow 1.75 gpm



Model 55433-RB
Flow 1.75 gpm



Model 55433-SS
Flow 1.75 gpm

- Three-setting H2Okinetic® hand show
- Adjustable wall mou
- 60" - 82" stretchable metal hos
- Self-cleaning H2Okinetic® spray hol
- Dial changes spray settin
- Pause, H2Okinetic® PowerDrenc Spray, Massage Spray



59433-CZ-PK

Universal Showering
H2Okinetic ® 3-Setting Hand Shower



Model 59433-PK
Flow 1.75 gpm



Model 59433-PN-PK
Flow 1.75 gpm



Model 59433-RB-PK
Flow 1.75 gpm



Model 59433-SS-PK
Flow 1.75 gpm

- Three-setting H2Okinetic® hand shower
- Hand shower only - hose NOT included
- Self-cleaning H2Okinetic® spray holes
- Dial changes spray settings
- Coordinates with Cassidy® Bath Collection
- Pause, H2Okinetic® PowerDrench® Spray, Massage Spray



51308

Universal Showering
H2Okinetic ® 3-Setting Slide Bar Hand Shower



Model 51308-CZ
Flow 1.75 gpm



Model 51308-PN
Flow 1.75 gpm



Model 51308-SS
Flow 1.75 gpm

- Three-setting H2Okinetic® hand shower
- 29" long wall bar with adjustable slide
- 60" - 82" stretchable metal hose
- Self-cleaning H2Okinetic® spray holes
- Dial changes spray settings
- Coordinates with Cassidy® Bath Collection
- Pause, H2Okinetic® PowerDrench® Spray, Massage Spray



55445

Universal Showering H2Okinetic ®
5-Setting Adjustable Wall Mount Hand Shower



Model 55445-CZ
Flow 1.75 gpm



Model 55445-RB
Flow 1.75 gpm



Model 55445-SS
Flow 1.75 gpm



Model 55445-BL
Flow 1.75 gpm

- Five-setting H2Okinetic® hand shower
- Adjustable wall mount
- 60" - 82" stretchable metal hose
- Soft-Touch® grip
- Self-cleaning H2Okinetic® and Touch-Clean® spray holes
- Dial changes spray settings
- Coordinates with Ashlyn® Bath Collection
- Pause, Full Body Spray, Full Spray w/Massage, H2Okinetic® PowerDrench® Spray, Massage Spray



59445-BL-PK

Universal Showering
H2Okinetic ® 5-Setting Hand Shower



Model 59445-CZ-PK
Flow 1.75 gpm



Model 59445-PK
Flow 1.75 gpm



Model 59445-RB-PK
Flow 1.75 gpm



Model 59445-SS-PK
Flow 1.75 gpm

- Five-setting H2Okinetic® hand shower
- Hand shower only - hose NOT included
- Soft-Touch® grip
- Self-cleaning H2Okinetic® and Touch-Clean® spray holes
- Dial changes spray settings
- Coordinates with Ashlyn® Bath Collection
- Pause, Full Body Spray, Full Spray w/Massage, H2Okinetic® PowerDrench® Spray, Massage Spray



51559

Universal Showering
H2Okinetic ® 5-Setting Slide Bar Hand Shower



Model 51559-BL
Flow 1.75 gpm



Model 51559-CZ
Flow 1.75 gpm



Model 51559-RB
Flow 1.75 gpm



Model 51559-SS
Flow 1.75 gpm

- Five-setting H2Okinetic® hand shower
- 24" long wall bar with adjustable slide
- 60" - 82" stretchable metal hose
- Soft-Touch® grip
- Self-cleaning H2Okinetic® and Touch-Clean® spray holes
- Dial changes spray settings
- Coordinates with Ashlyn® Bath Collection
- Pause, Full Body Spray, Full Spray w/Massage, H2Okinetic® PowerDrench® Spray, Massage Spray



59140-CZ-PR-PK

Universal Showering
H2Okinetic ® 4-Setting Hand Shower



Model 59140-PR-PK
Flow 1.75 gpm



Model 59140-SS-PR-PK
Flow 1.75 gpm



Model 59140-BL-PK
Flow 1.75 gpm

- Four-setting H2Okinetic® hand shower
- Hand shower only - hose NOT included
- Self-cleaning H2Okinetic® and Touch-Clean® spray holes
- Push-button spray selection
- Coordinates with Zura® and Ara® Bath Collections
- Pause, Full Body Spray, H2Okinetic® PowerDrench® Spray, Massage Spray



51140-BL

Universal Showering
H2Okinetic ® 4-Setting Slide Bar Hand Shower



Model
51140-CZ-PR
Flow
1.75 gpm



Model
51140-PR
Flow
1.75 gpm



Model
51140-SS-PR
Flow
1.75 gpm

- Four-setting H2Okinetic® hand shower
- 27" long wall bar with adjustable slide
- 60" - 82" stretchable metal hose
- Self-cleaning H2Okinetic® and Touch-Clean® spray holes
- Push-button spray selection
- Coordinates with Zura® and Ara® Bath Collections
- Pause, Full Body Spray, H2Okinetic® PowerDrench® Spray,
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



55140-CZ-PR

Universal Showering H2Okinetic ®
5-Setting Adjustable Wall Mount Hand Shower



Model
55140-PR
Flow
1.75 gpm



Model
55140-SS-PR
Flow
1.75 gpm



Model
55140-PN
Flow
1.75 gpm



Model
55140-BL
Flow
1.75 gpm

- Four-setting H2Okinetic® hand shower
- Adjustable wall mount
- 60" - 82" stretchable metal hose
- Self-cleaning H2Okinetic® and Touch-Clean® spray holes
- Push-button spray selection
- Pause, Full Body Spray, H2Okinetic® PowerDrench® Spray,
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



58480-BL-PK

Universal Showering

In2ition ® H2Okinetic ® 5-Setting Two-in-One Shower



Model
58480-CZ-PK
Flow
1.75 gpm



Model
58480-PK
Flow
1.75 gpm



Model
58480-PN-PK
Flow
1.75 gpm



Model
58480-PR-PK
Flow
1.75 gpm



Model
58480-RB-PK
Flow
1.75 gpm



Model
58480-SS-PK
Flow
1.75 gpm



Model
58480-SS-PR-PK
Flow
1.75 gpm



Model
58480-CZ-PR-PK
Flow
1.75 gpm



Model
58480-PN-PR-PK
Flow
1.75 gpm



Model
58480-KS-PR-PK
Flow
1.75 gpm

- Integrated H2Okinetic® shower head and hand shower is WaterSense® labeled
- Five-setting hand shower
- Fully plated shower head
- 60" - 82" stretchable metal hose
- Self-cleaning H2Okinetic® and Touch-Clean® spray holes
- 3-way lever diverter
- Lever changes spray settings
- Shower arm mount
- Pause, Full Body Spray, Full Spray w/Massage, H2Okinetic®
- MagnaTite® docking
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



58569-BL-PK

Universal Showering

In2ition ® 5-Setting Two-in-One Shower



Model
58569-CZ-PK
Flow
1.75 gpm



Model
58569-PK
Flow
1.75 gpm



Model
58569-RB-PK
Flow
1.75 gpm



Model
58569-SS-PK
Flow
1.75 gpm



Model
58569-CZ-PR-PK
Flow
1.75 gpm



Model
58569-PR-PK
Flow
1.75 gpm



Model
58569-SS-PR-PK
Flow
1.75 gpm

- Integrated shower head and hand shower is WaterSense® labeled
- Five-setting hand shower
- Fully plated shower head
- 60" - 82" stretchable metal hose
- Touch-Clean® spray holes
- 3-way lever diverter
- Lever changes spray settings
- Shower arm mount
- Push button pause mode
- Pause, Full Body Spray, Full Spray w/Massage, Fast Massage Spray, Slow Massage Spray
- PR - Lumicoat® finishes, guaranteed to resist mineral buildup and hard water stains



59361-PK

Universal Showering
Fundamentals ™ 4-Setting Hand Shower



Model
59361-SS-PK
Flow
1.75 gpm

- Four-setting hand showe
- Hand shower only - hose NOT include
- Touch-Clean® spray hole
- Dial changes spray setting
- Pause, Full Body Spray, Full Spray w/Massage, Massage Spra



51361

Universal Showering
Fundamentals™ 4-Setting Slide Bar Hand Shower



Model
51361-BL
Flow
1.75 gpm



Model
51361-SS
Flow
1.75 gpm

- Four-setting hand showe
- 24" long wall bar with adjustable slide - wall elbow include
- 72" metal hos
- Touch-Clean® spray hole
- Dial changes spray setting
- Pause, Full Body Spray, Full Spray w/Massage, Massag



S661

Universal Showering
Centra-V 150 7 spray In Chrome

- Finish: Chrome plated
- 7 function rainfall touch-clean handshower
- 59" (1500mm) long metal double-interlock tensile shower hose, G 1/2 - ISO228/1:2000 thread connection
- Adjustable handshower holder
- Flow restrictor included in handshower



S662

Universal Showering
5F Hand shower in blister pack

- Finish: Chrome plated
- 5 function touch-clean handshower
- 59" (1500mm) long metal double-interlock tensile shower hose, G 1/2 - ISO228/1:2000 thread connection
- Adjustable handshower holder
- Flow restrictor included in handshower



S663

Universal Showering
Centra-S 100 5 spray In chrome

- Finish: Chrome plated
- 5 function touch-clean handshower
- 59" (1500mm) long metal double-interlock tensile shower hose, G 1/2 - ISO228/1:2000 thread connection
- Adjustable handshower holder
- Flow restrictor included in handshower



S664

Universal Showering
Centra-S 100 single spray in Chrome

- Finish: Chrome plated
- Single function touch-clean handshower
- 59" (1500mm) long metal double-interlock tensile shower hose, G 1/2 - ISO228/1:2000 thread connection
- Adjustable handshower holder
- Flow restrictor included in handshower



S664R

Universal Showering
1F Hand shower in blister pack

- Finish: Chrome plated
- Single function touch-clean handshower
- G 1/2-ISO228/1:2000 male thread connection
- Flow restrictor included in handshower



S665

Universal Showering
Centra-S 120 5 spray in Chrome

- Finish: Chrome plated
- 5 function touch-clean handshower
- 59" (1500mm) long metal double-interlock tensile shower hose, G 1/2 - ISO228/1:2000 thread connection
- Adjustable handshower holder
- Flow restrictor included in handshower



S880

Universal Showering
3-Setting Hand Shower With Hose And Holder

- Finish: Chrome plated
- 3 function t
- 59" (1500mm) long metal double-interlock tensile shower hose, G 1/2 - ISO228/1:2000 thread connection
- Adjustable handshower holder
- Flow restrictor included in handshower

AKABA

akaba.mx