
GAGGENAU
CATÁLOGO 2026
COD-28052026
AKABA

EB 333 Oven - Expressive series ovens



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

SYMMETRY PERFECTLY STAGED

The Gaggenau Expressive series, inspired by Bauhaus and modern architecture, impresses with elegant, sculptural shapes.

Expressive series ovens



Oven Gaggenau Expressive series
GO 470/471

— **Width 24" (60 cm).**
— Stainless steel behind smoked glass.

Included accessories

1 wire rack.
1 baking tray, enameled, pyrolysis-safe.
1 broil pan, enameled, pyrolysis-safe
1 core temperature probe.
1 rotisserie spit.

Optional accessories

BA 020 110
Air frying tray.
1 3/16" (30 mm) deep.

BA 026 116
Baking tray, enameled.
1" (30 mm) deep.

BA 026 117
Broil pan, enameled.
1 3/16" (30 mm) deep.

BA 036 166
Wire rack, chromium-plated.
Without opening, with feet.

BA 046 118
Glass tray for 24"/30") ovens.
1" deep (24 mm).

BA 056 134
Baking stone kit with baking paddle for 24" (60 cm) oven.

BS 020 003
Baking paddle.

GN 340 231
Gastronorm roaster in cast aluminum.
GN 2/3, height 6 ½" (165 mm),
PFAS free non-stick coating.

Right-hinged

GO 470 720 NEW
stainless steel behind smoked glass

Left-hinged

GO 471 720 NEW
stainless steel behind smoked glass

Delivery starting Q4 2025.
Star-K certification pending.

Note: Side-hinge doors are not reversible.



Oven
Gaggenau Expressive series
GO 480/481

— **Width 30" (76 cm).**
— Stainless steel behind smoked glass.

Included accessories

1 wire rack.
2 baking tray/broil pan, enameled, pyrolysis-safe.
1 core temperature probe.
1 rotisserie spit.

Installation accessories

GA 301 010
Gaggenau adjustable shelf.
Installation kit for 30" (76 cm) devices.

Optional accessories

BA 020 110
Air frying tray.
1 3/16" (30 mm) deep.
To be placed on wire rack.

BA 028 115
Baking tray/broil pan, enameled.
1" (30 mm) deep.

BA 038 165
Wire rack, for 30"/36" (76 cm/ 90 cm) oven.

BA 058 134
Baking stone kit with baking paddle for 30" (76 cm) oven.

BS 020 003
Baking paddle.

GN 340 231
Gastronorm roaster in cast aluminum.
GN 2/3, height 6 ½" (165 mm),
PFAS free non-stick coating.

Right-hinged

GO 480 721
stainless steel behind smoked glass

Left-hinged

GO 481 721
stainless steel behind smoked glass

Note: Side-hinge doors are not reversible.

— Star-K certification pending.

*Precios expresados en Dólares, no incluyen IVA.

Expressive series Combi-steam ovens



Combi-steam oven
Gaggenau Expressive series
GS 480/481

- **Width 30" (76 cm).**
- Plumbed. Water and drain line required.
- Stainless steel behind smoked glass.

Included accessories

1 cooking container, stainless steel, perforated.
1 cooking container, stainless steel, unperforated.
1 wire rack.
1 water inlet hose 118" (3 m).
1 water outlet hose 118" (3 m).
4 cleaning cartridges.

Optional accessories

BA 010 050
Core temperature probe.

BA 010 301
Triple telescopic pull-out rack.

BA 020 361
Cooking container stainless steel, Unperforated

BA 020 370
Cooking container stainless steel, Perforated

BA 020 382
Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

BA 020 391
Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

BA 046 118
Glass tray for 24"/30" (60 cm/76 cm) ovens.

CLS 100 40
Cleaning cartridges, set of 4*.
* Set of 4 included in delivery.

GN 010 330
Adapter for gastronorm insert and roaster.

GN 114 130
Gastronorm insert, stainless steel, GN 1/3.
Unperforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

GN 114 230
Gastronorm insert, stainless steel, GN 2/3.
Unperforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

GN 124 130
Gastronorm insert, stainless steel, GN 1/3.
Perforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

GN 124 230
Gastronorm insert, stainless steel, GN 2/3.
Perforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

GN 340 231
Gastronorm roaster in cast aluminum.
GN 2/3, height 6 ½" (165 mm), PFAS free non-stick coating.

Installation accessories

GZ 010 011
Extension for water inlet and outlet. 78" long (2 m).

GA 301 010
Gaggenau adjustable shelf Installation kit for 30" (76 cm) devices.

Required accessories

Part No. 17002490
Descaling tablets, set of 4.

Right-hinged

GS 480 720 NEW
stainless steel behind smoked glass

Left-hinged

GS 481 720 NEW
stainless steel behind smoked glass

Delivery starting Q4 2025.
Star-K certification pending.

Note: Side-hinge doors are not reversible.

- Plumbed with drain.
- No electrical appliances can be installed above the combi-steam oven.

*Precios expresados en Dólares, no incluyen IVA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Expressive series Combi-steam ovens



Combi-steam oven
Gaggenau Expressive series
GS 470/471

- **Width 24″ (60 cm).**
- Plumbed. Water and drain line required.
- Stainless steel behind smoked glass.

Included accessories

1 cooking container, stainless steel, perforated.
1 cooking container, stainless steel, unperforated.
1 wire rack.
1 water inlet hose 118″ (3 m).
1 water outlet hose 118″ (3 m).
4 cleaning cartridges.

Optional accessories

BA 010 050
Core temperature probe.

BA 010 301
Triple telescopic pull-out rack.

BA 020 361
Cooking container stainless steel, Unperforated

BA 020 370
Cooking container stainless steel, Perforated

BA 020 382
Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

BA 020 391
Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

BA 046 118
Glass tray for 24″/30″ (60 cm/76 cm) ovens.

CLS 100 40
Cleaning cartridges, set of 4*.
* Set of 4 included in delivery.

GN 010 330
Adapter for gastronorm insert and roaster.

GN 114 130
Gastronorm insert, stainless steel, GN 1/3.
Unperforated, 1 9/16″ deep (40 mm), 1.5 qt. (1.5 l).

GN 114 230
Gastronorm insert, stainless steel, GN 2/3.
Unperforated, 1 9/16″ deep (40 mm), 3 qt. (3 l).

GN 124 130
Gastronorm insert, stainless steel, GN 1/3.
Perforated, 1 9/16″ deep (40 mm), 1.5 qt. (1.5 l).

GN 124 230
Gastronorm insert, stainless steel, GN 2/3.
Perforated, 1 9/16″ deep (40 mm), 3 qt. (3 l).

GN 340 231
Gastronorm roaster in cast aluminum.
GN 2/3, height 6 ½″ (165 mm), PFAS free non-stick coating.

Installation accessories

GZ 010 011
Extension for water inlet and outlet.
78″ long (2 m).

GA 601 010
Gaggenau adjustable shelf
Installation kit for 24″ (60 cm) devices.

Required accessories

Part No. 17002490
Descaling tablets, set of 4.

Right-hinged

GS 470 720 NEW
stainless steel behind smoked glass

Left-hinged

GS 471 720 NEW
stainless steel behind smoked glass

Delivery starting Q4 2025.
Star-K certification pending.

Note: Side-hinge doors are not reversible.

- Plumbed with drain.
- No electrical appliances can be installed above the combi-steam oven.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Expressive series Combi-steam ovens



Combi-steam oven
Gaggenau Expressive series
GS 460/461

— **Width 30" (76 cm).**
— Tank only. No water or drain connection.
— Stainless steel behind smoked glass.

Included accessories

1 cooking container, stainless steel, perforated.
1 cooking container, stainless steel, unperforated.
1 wire rack.
4 cleaning cartridges.

Optional accessories

BA 010 050
Core temperature probe.

BA 010 301
Triple telescopic pull-out rack.

BA 020 361
Cooking container stainless steel, Unperforated

BA 020 370
Cooking container stainless steel, Perforated

BA 020 382
Cooking container for Combi-steam oven, PFAS free non-stick coating, unperforated.

BA 020 391
Cooking container insert for Combi-steam oven, PFAS free non-stick coating, perforated.

BA 046 118
Glass tray for 24"/30" (60 cm/76 cm) ovens.

CLS 100 40
Cleaning cartridges, set of 4*.
* Set of 4 included in delivery.

GN 010 330
Adapter for gastronorm insert and roaster.

GN 114 130
Gastronorm insert, stainless steel, GN 1/3.
Unperforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

GN 114 230
Gastronorm insert, stainless steel, GN 2/3.
Unperforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

GN 124 130
Gastronorm insert, stainless steel, GN 1/3.
Perforated, 1 9/16" deep (40 mm), 1.5 qt. (1.5 l).

GN 124 230
Gastronorm insert, stainless steel, GN 2/3.
Perforated, 1 9/16" deep (40 mm), 3 qt. (3 l).

GN 340 231
Gastronorm roaster in cast aluminum.
GN 2/3, height 6 ½" (165 mm), PFAS free non-stick coating.

Installation accessories

GA 301 010
Gaggenau adjustable shelf Installation kit for 30" (76 cm) devices.

Required accessories

Part No. 17002490
Descaling tablets, set of 4.

Right-hinged

GS 460 720 NEW
stainless steel behind smoked glass

Left-hinged

GS 461 720 NEW
stainless steel behind smoked glass

Delivery starting Q4 2025.
Star-K certification pending.

Note: Side-hinge doors are not reversible.

— No electrical appliances can be installed above the combi-steam oven.

Expressive series Combi-microwave ovens



Combi-microwave oven
Gaggenau Expressive series
GM 480/481

— **Width 30" (76 cm).**
— Stainless steel behind smoked glass.

Included accessories

1 wire rack.
1 glass tray.

Optional accessories

BA 010 050
Core temperature probe.

BA 036 166
Wire rack.

BA 046 118
Glass tray for 24"/30" (60 cm/76 cm) ovens.

Installation accessories

GA 301 010
Gaggenau adjustable shelf Installation kit for 30" (76 cm) devices

Right-hinged

GM 480 720 NEW
stainless steel behind smoked glass

Left-hinged

GM 481 720 NEW
stainless steel behind smoked glass

Delivery starting Q4 2025.
Star-K certification pending.

Note: Side-hinge doors are not reversible.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Expressive series Combi-microwave ovens



Combi-microwave oven
Gaggenau Expressive series
GM 450/451

- **Width 24" (60 cm).**
- Stainless steel behind smoked glass.

Included accessories

1 wire rack.
1 glass tray.

Optional accessories

BA 010 050
Core temperature probe.

BA 036 166
Wire rack.

BA 046 118
Glass tray for 24"/30" (60 cm/76 cm) ovens.

Installation accessories

GA 601 010
Gaggenau adjustable shelf Installation kit for 24" (60 cm) devices

Right-hinged

GM 450 720 NEW
stainless steel behind smoked glass

Left-hinged

GM 451 720 NEW
stainless steel behind smoked glass

Delivery starting Q4 2025.
Star-K certification pending.

Note: Side-hinge doors are not reversible.

Expressive series espresso machines



Fully automatic espresso machine
Gaggenau Expressive series
Plumbed
GC 461

- **Width 24" (60 cm).**
- Plumbed. Water line required.
- Stainless steel behind smoked glass.

Included accessories

1 assembly screws.
1 test strip.
1 glass milk container.
1 connection hose for milk frother.
1 milk tube.
1 cleaning cartridge.
1 descaling cartridge.

Installation accessories

GA 601 010
Gaggenau adjustable shelf Installation kit for 24" (60 cm) devices

Optional accessories

GA 022 720
Cleaning cartridge.

GA 022 740
Descaling cartridge.

Part No. 12008246
Water filter.

Part No. 00312445
Descaling tablets.

Part No. 00311979
Cleaning tablets.

Part No. 00636455
Door hinge restrictor (92° opening angle).

Left-hinged

GC 461 720 NEW
stainless steel behind smoked glass

- Left-hinged only.

Delivery starting Q4 2025.



Fully automatic espresso machine
Gaggenau Expressive series
Tank
GC 451

- **Width 24" (60 cm).**
- Tank only. No water connection.
- Stainless steel behind smoked glass.

Included accessories

1 assembly screws.
1 test strip.
1 glass milk container.
1 connection hose for milk frother.
1 milk tube.
1 cleaning cartridge.
1 descaling cartridge.

Installation accessories

GA 601 010
Gaggenau adjustable shelf Installation kit for 24" (60 cm) devices

Optional accessories

GA 022 720
Cleaning cartridge.

GA 022 740
Descaling cartridge.

Part No. 12008246
Water filter.

Part No. 00312445
Descaling tablets.

Part No. 00311979
Cleaning tablets.

Part No. 00636455
Door hinge restrictor (92° opening angle).

Left-hinged

GC 451 720 NEW
stainless steel behind smoked glass

- Left-hinged only.

Delivery starting Q4 2025.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Expressive series vacuuming drawers



Expressive series vacuuming drawer
GV 451

— **Width 24" (60 cm),** Height 5 ½" (14 cm).
— Stainless steel behind smoked glass.
— Push-to-open.

Included accessories

50 vacuuming bag, small.
50 vacuuming bag, big.
1 raised vacuuming platform.
1 adapter for vacuuming outside the chamber.
1 vacuuming hose.
1 adapter for bottle plugs.
3 plugs for vacuuming of bottles.

Optional accessories

Part No. 00578813
Vacuuming bags, small.
7" × 11", 100 pcs.

Part No. 00578814
Vacuuming bags, large.
9 ½" × 14", 100 pcs.

GV 451 720 NEW
stainless steel behind smoked glass

Delivery starting Q4 2025.

Expressive series culinary warming drawers



Culinary warming drawer Gaggenau Expressive series
GW 483

— **Width 30" (76 cm),** Height 8 7/16" (21.5 cm).
— Stainless steel behind smoked glass.
— Push-to-open.

GW 483 720 NEW
stainless steel behind smoked glass

Delivery starting Q4 2025.



Culinary warming drawer Gaggenau Expressive series
GW 083

— **Width 30" (76 cm),** Height 8 7/16" (21 cm).
— Custom-panel ready.
— Not push-to-open , requires handle.

GW 083 790 NEW
custom panel

Delivery starting Q4 2025.



Culinary warming drawer Gaggenau Expressive series
GW 451

— **Width 24" (60 cm),** Height 5 ½" (14 cm).
— Stainless steel behind smoked glass.
— Push-to-open.

GW 451 720 NEW
stainless steel behind smoked glass

Delivery starting Q4 2025.



Culinary warming drawer Gaggenau Expressive series
GW 453


— **Width 24" (60 cm),** Height 8 7/16" (21.5 cm).
— Stainless steel behind smoked glass.
— Push-to-open.

GW 453 720 NEW
stainless steel behind smoked glass



Delivery starting Q4 2025.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Expressive series accessories

		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
	— Core temperature probe. — Compatible with GO, GS, GM.	●	●	●	●	●	●	●			**BA 010 050**
	— Triple telescopic pull-out rack. — For Combi-steam oven. — Can be used with any of the cooking containers, glass tray, or adapter.			●	●	●					**BA 010 301** — Triple telescopic pull-out rack system for select comb-steam ovens. — Safely pull out heavy dishes with ease.
	— Air frying tray. — 1 3/16" (30 mm) deep. — 1 3/16 × 17 15/16 × 14 3/4" (30 × 455 × 375 mm).	●	●								**BA 020 110** NEW **Delivery starting Q4 2025.**
	— Combi-Steam cooking container, stainless steel, unperforated. — 1 9/16" (40 mm) deep. — 5 qt.			●	●	●					**BA 020 361**
	— Cooking container, stainless steel, perforated. — 1 9/16" (40 mm) deep. — 5 qt.			●	●	●					**BA 020 370** — For use with select combi-steam ovens. — Perforated, stainless steel pan. — Gastronorm size 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 17003099.
	— Cooking container, PFAS free non-stick coating, unperforated. — 1 13/16" (46 mm) deep. — 1 13/16 × 17 3/4 × 14 15/16" (46 × 450 × 380 mm). — 5.5 qt. (5.4 l)			●	●	●					**BA 020 382**
	— Cooking container insert, PFAS free non-stick coating, perforated. — 1 9/16" (40 mm) deep. — 1 9/16 × 17 3/4 × 14 15/16" (40 × 450 × 380 mm). — 5.5 qt. (5.4 l).			●	●	●					**BA 020 391** — For select combi-steam ovens. — Perforated, PFAS free non-stick coating. — Gastronorm 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 17003101.
	— Baking tray, enameled. — 1" deep, for use with 30" oven.	●	●								**BA 028 115** — For select 30" (76 cm) ovens. — Enameled finish. — Depth is 1".
	— Baking Tray, enameled for 24" Oven. — 1 3/16" (30 mm) deep. — 1 3/16 × 18 1/8 × 14 3/8" (30 × 460 × 365 mm).		●								**BA 026 116** NEW **Delivery starting Q4 2025.**

Expressive series accessories

		GO 480/481 30″	GO 470/471 24″	GS 480/481 30″	GS 470/471 24″	GS 460/461 30″	GM 480/481 30″	GM 450/451 24″	GC 461/451 24″	GV 451 720	
	— Broil Pan, enameled for 24″ Oven. — 1 ½″ (38 mm) deep. — 1 ½ × 18 ⅛ × 14 ⅜ (38 × 460 × 365 mm).		●								**BA 026 117** NEW **Delivery starting Q4 2025.**
	— Wire rack, chromium-plated. — Without opening, with feet. — For 24″ (60 cm) and 30″ (76 cm) devices.		●				●	●			**BA 036 166** NEW **Delivery starting Q4 2025.**
	— Wire rack, chromium-plated, for use with 30″ oven. — Without opening, with feet.	●									**BA 038 165** — For use with select 30″ (76 cm) ovens. — Chromium plated. — Without opening, with feet.
	— Glass tray for 24″ GO ovens and 24″/30″ GM ovens. — 1″deep.		●	●	●	●	●	●			**BA 046 118** NEW — Depth is 1″. — Heavy-duty, fully transparent. **Delivery starting Q4 2025.**
	— Baking paddle. — Serving and cutting board.	●	●								**BS 020 003** NEW **Delivery starting Q4 2025.**
	— Baking stone for 24″ oven. — Incl. baking stone support and baking paddle. — Not in combination with pull-out system.		●								**BA 056 134** NEW **Delivery starting Q4 2025.**
	— Baking stone for 30″ oven. — Incl. baking stone support and baking paddle. — Not in combination with pull-out system.	●									**BA 058 134** NEW **Delivery starting Q4 2025.**
	— Adapter for gastronorm insert and GN 340 231 roaster. — For use in Combi-steam ovens.			●	●	●					**GN 010 330** — Wire rack to support roaster GN 340 231. — Roaster with lid sold separately, please order Part No. 00570316.
	— Gastronorm insert, stainless steel. — 1 ½″ deep, GN 1/3, half tray size. — Unperforated, 1.5 qt. — Must order GN 114 130 adapter separately.			●	●	●					**GN 114 130** — Unperforated, stainless steel pan. — Dishwasher safe. — Gastronorm size 1/3, 1.5″ (40 mm) depth. — For the half size perforated pan, order Part No. 00571634.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Expressive series accessories

		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
	— Gastronorm insert, stainless steel. — 1 ½" deep, GN 2/3, full tray size. — Unperforated, 3 qt. — Must order GN 010 330 adapter separately.			●	●	●					**GN 114 230** — For use in select combi-steam ovens. — Unperforated, stainless steel pan. — Gastronorm size 2/3, 1.5" (40 mm) depth. — For the full-size perforated pan, order Part No. 00357307.
	— Gastronorm insert, stainless steel. — 1 ½" deep, GN 1/3, half tray size. — Perforated, 1.5 qt. — Must order GN 114 130 adapter separately.			●	●	●					**GN 124 130** — Perforated, stainless steel pan. — Dishwasher safe. — Gastronorm size 1/3, 1.5" (40 mm) depth. — For the half size unperforated pan, order Part No. 00677877.
	— Gastronorm insert, stainless steel. — 1 ½" deep, GN 2/3, full tray size. — Perforated, 3 qt. — Must order GN 114 130 adapter separately.			●	●	●					**GN 124 230** — For use with select combi-steam ovens. — Perforated, stainless steel pan. — Gastronorm size 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 00358656.
	— Cast-aluminum roaster, for use with GO/GS ovens. — GN 2/3, height 6 ½" (165 mm), — PFAS free non-stick coating. — Lower and upper part can also be used separately, height 4" (100 mm) and 2 ." (65 mm). — For ovens with pull-out system BA 016 or BA 018 (both to be ordered separately) and for combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately).	●	●	●	●	●					**GN 340 231** **Delivery starting Q4 2025.**
	— Cleaning cartridges, set of 4. — For Combi-steam oven.			●	●						**CLS 100 40** — For select Combi-steam ovens that have a cleaning system and fixed water connection. — Removes dirt and other residues, clean your oven with this cleaning cartridge 4 times a year (use 1 cartridge per cleaning). — To descale your combi-steam oven, please order descaling cartridges (Part No. 00311768).
	— Descaling tablets, set of 4. — For Combi-steam ovens.			●	●	●					**Part No.17002490** See Cleaners & Accessories Price List for pricing — For use with select Combi-steam ovens. — Place tablets into the descaling container in the oven when the oven indicates that descaling is needed, then activate the descaling process.



Expressive series accessories

		GO 480/481 30"	GO 470/471 24"	GS 480/481 30"	GS 470/471 24"	GS 460/461 30"	GM 480/481 30"	GM 450/451 24"	GC 461/451 24"	GV 451 720	
	— Vacuum Bags (Small). — 7.1" × 11", 100 pcs.									●	**Part No. 00578813** See Cleaners & Accessories Price List for pricing — For use with select vacuum drawers - please check for compatibility with your appliance. — To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
	— Vacuum Bags (Large). — 9.5" × 13.8", 100 pcs.									●	**Part No. 00578814** See Cleaners & Accessories Price List for pricing — For use with select vacuum drawers. — To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
	— Water filter.								●		**Part No. 12008246** See Cleaners & Accessories Price List for pricing
	— Cleaning tablets for manual cleaning. — Removes coffee oils and other greasy residues. — Follow your coffee machine's instructions for running the cleaning cycle. — 1 tablet per cleaning.								●		**Part No. 00311979** See Cleaners & Accessories Price List for pricing — 20 tablets.


*Precios expresados en Dólares, no incluyen IVA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Expressive series accessories


		GO 480/481 30″	GO 470/471 24″	GS 480/481 30″	GS 470/471 24″	GS 460/461 30″	GM 480/481 30″	GM 450/451 24″	GC 461/451 24″	GV 451 720	
	— Gaggenau adjustable shelf — Installation kit for 30″ (76 cm) devices. — For vertical combinations where optimum gap between appliances is desired. — Incl. mounting brackets, cover and screws.			●		●	●				**GA 301 010** NEW — Installation above a combi-microwave oven is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case. — Stacking GO ovens is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case. **Delivery starting Q4 2025.**
	— Gaggenau adjustable shelf — Installation kit for 24″ (60 cm) devices. — For vertical combinations where optimum gap between appliances is desired. — Incl. mounting brackets, cover and screws.				●			●	●		**GA 601 010** NEW — Installation above a combi-microwave oven is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case. — Stacking GO ovens is only possible with a standard cabinet shelf. The use of the Gaggenau adjustable shelf GA 601 010 is not permitted in this case. **Delivery starting Q4 2025.**

Oven accessories

		EB 333	BO 450/1 ovens 24″	BX/BO 480/1 ovens 30″	BS Combi-steam oven 24″/30″	DV vacuuming drawer	BOP ovens 24″	BMP ovens	
	— Pull-out system for 30″ single/ double oven. — Fully extendable telescopic rails and enameled cast iron frame.	●		●					**BA 018 165** — For use with select 30″ (76 cm) ovens. — Fully extendable telescopic rails and enameled cast-iron frame. — Wire rack included. **Available for order until December 2025.**
	— Pull-out system for 24″ oven. — Fully extendable telescopic rails and enameled cast iron frame.		●				●		**BA 016 165** **Available for order until December 2025.**
	— Baking tray, enameled. — 1″ deep, for use with 30″ oven.	●		●					**BA 028 115** — For select 30″ (76 cm) ovens. — Enameled finish. — Depth is 1″.
	— Wire rack, chromium-plated, for use with 30″ oven. — Without opening, with feet.	●		●					**BA 038 165** — For use with select 30″ (76 cm) ovens. — Chromium plated. — Without opening, with feet.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Oven accessories

		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens	
	— Heating element for baking stone for 30" single/double oven.	●		●					**BA 058 115** — For select 30" (76 cm) ovens. — Bakes items on baking stone evenly. — Heats up to 572 degrees Fahrenheit. — For baking stone kit (includes stone, wire rack and paddle) order Part No. 00574698, for baking stone only order Part No. 00144834, for wire rack to hold baking stone order Part No. 00687356, for pizza paddle only order Part No. 00097367. **Available for order until December 2025.**
	— Baking stone kit with baking paddle for EB 333 oven.	●							**BA 058 135** **NEW** **Delivery starting Q4 2025.**



Oven accessories

		EB 333	BO 450/1 ovens 24″	BX/BO 480/1 ovens 30″	BS Combi-steam oven 24″/30″	DV vacuuming drawer	BOP ovens 24″	BMP ovens	
	— Cast-aluminum roaster, for use with GO/GS ovens. — GN 2/3, height 6 ½″ (165 mm), — PFAS free non-stick coating. — Lower and upper part can also be used separately, height 4″ (100 mm) and 2 .″ (65 mm). — For ovens with pull-out system BA 016 or BA 018 (both to be ordered separately) and for combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately).	●	●	●	●		●		**GN 340 231** **Delivery starting Q4 2025.**
	— Broil pan, enameled. — With feet and rotisserie spit attachment, 9/16″ deep, for use with 30″ oven.	●		●					**Part No. 17001373** See Cleaners & Accessories Price List for pricing — For select 30″ (76 cm) ovens. — Enameled finish. — Contains feet and rotisserie spit attachment. — Depth is 1″. **Available for order until December 2025.**
	— Stainless steel knobs with black coating .	●							**BA 090 100** — Black control knobs for EB 333 oven. — Set of 2.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Combi-steam oven accessories

		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BSP ovens	BMP ovens	
	— Gastronorm insert, stainless steel. — 1 ½" deep, GN 2/3, full tray size. — Unperforated, 3 qt. — Must order GN 010 330 adapter separately.				●			●		**GN 114 230** — For use in select combi-steam ovens. — Unperforated, stainless steel pan. — Gastronorm size 2/3, 1.5" (40 mm) depth. — For the full-size perforated pan, order Part No. 00357307.
	— Gastronorm insert, stainless steel. — 1 ½" deep, GN 2/3, full tray size. — Perforated, 3 qt. — Must order GN 114 130 adapter separately.				●			●		**GN 124 230** — For use with select combi-steam ovens. — Perforated, stainless steel pan. — Gastronorm size 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 00358656.
	— Triple telescopic pull-out rack. — For Combi-steam oven. — Can be used with any of the cooking containers, glass tray, or adapter.				●					**BA 010 301** — Triple telescopic pull-out rack system for select comb-steam ovens. — Safely pull out heavy dishes with ease.
	— Combi-Steam cooking container, stainless steel, unperforated. — 1 9/16" (40 mm) deep. — 5 qt.				●					**BA 020 361**
	— Cooking container, PFAS free non-stick coating, unperforated. — 1 13/16" (46 mm) deep. — 1 13/16 × 17 3/4 × 14 15/16" (46 × 450 × 380 mm). — 5.5 qt. (5.4 l)				●					**BA 020 382**
	— Cooking container, stainless steel, perforated. — 1 9/16" (40 mm) deep. — 5 qt.				●					**BA 020 370** — For use with select combi-steam ovens. — Perforated, stainless steel pan. — Gastronorm size 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 17003099.
	— Cooking container insert, PFAS free non-stick coating, perforated. — 1 9/16" (40 mm) deep. — 5.5 qt. (5.4 l).				●					**BA 020 391** — For select combi-steam ovens. — Perforated, non-stick finish. — Gastronorm 2/3, 1.5" (40 mm) depth. — For full size unperforated pan, order Part No. 17003101.

Combi-steam oven accessories

		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BSP ovens	BMP ovens	
	— Adapter for gastronorm insert and GN 340 231 roaster. — For use in Combi-steam ovens.				●					**GN 010 330** — Wire rack to support roaster GN 340 231. — Roaster with lid sold separately, please order Part No. 00570316.
	— Cast-aluminum roaster, for use with GO/GS ovens. — GN 2/3, height 6 ½" (165 mm), — PFAS free non-stick coating. — Lower and upper part can also be used separately, height 4" (100 mm) and 2 ." (65 mm). — For ovens with pull-out system BA 016 or BA 018 (both to be ordered separately) and for combi-steam ovens with adapter GN 010 330 and pull-out system BA 010 301 (both to be ordered separately).				●			●		**GN 340 231** **Delivery starting Q4 2025.**
	— Gastronorm insert, stainless steel. — 1 ½" deep, GN 1/3, half tray size. — Unperforated, 1.5 qt. — Must order GN 114 130 adapter separately.				●			●		**GN 114 130** — Unperforated, stainless steel pan. — Dishwasher safe. — Gastronorm size 1/3, 1.5" (40 mm) depth. — For the half size perforated pan, order Part No. 00571634.
	— Gastronorm insert, stainless steel. — 1 ½" deep, GN 1/3, half tray size. — Perforated, 1.5 qt. — Must order GN 114 130 adapter separately.				●			●		**GN 124 130** — Perforated, stainless steel pan. — Dishwasher safe. — Gastronorm size 1/3, 1.5" (40 mm) depth. — For the half size unperforated pan, order Part No. 00677877.
	— Cleaning cartridges, set of 4. — For Combi-steam oven.				●					**CLS 100 40** — For select Combi-steam ovens that have a cleaning system and fixed water connection. — Removes dirt and other residues, clean your oven with this cleaning cartridge 4 times a year (use 1 cartridge per cleaning). — To descale your combi-steam oven, please order descaling cartridges (Part No. 00311768).

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Combi-steam oven accessories

		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BSP ovens	BMP ovens	
	— Descaling tablets, set of 4. — For Combi-steam ovens.				●					**Part No.17002490** See Cleaners & Accessories Price List for pricing — For use with select Combi-steam ovens. — Place tablets into the descaling container in the oven when the oven indicates that descaling is needed, then activate the descaling process.
	— Wire rack.				●					**Part No.17003108** See Cleaners & Accessories Price List for pricing — For use with select Combi-steam ovens. — Contains feet, does not have an opening in the rack. — This item has a model number of BA 030 300. **Available for order until December 2025.**

Vacuuming drawer accessories

		EB 333	BO 450/1 ovens 24"	BX/BO 480/1 ovens 30"	BS Combi-steam oven 24"/30"	DV vacuuming drawer	BOP ovens 24"	BMP ovens	
	— Vacuum Bags (Small). — 7.1" × 11", 100 pcs.					●			**Part No. 00578813** See Cleaners & Accessories Price List for pricing — For use with select vacuum drawers - please check for compatibility with your appliance. — 7.1" × 11". — 100 bags. — To purchase large bags, order Part No. 00578814. — To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.
	— Vacuum Bags (Large). — 9.5" × 13.8", 100 pcs.					●			**Part No. 00578814** See Cleaners & Accessories Price List for pricing — For use with select vacuum drawers. — 9.5" × 13.8". — 100 bags. — To purchase medium bags, order Part No. 00578813. — To purchase bottle caps for use with your vacuum drawer, order Part No. 00639043.

Vario Cooktops



400 series Vario induction cooktops

Common features

- Stainless steel frame.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be perfectly combined with other Vario 400 series appliances.
- Home Connect®.



Vario 400 series full surface induction cooktop
CX 492

— **Width 36" (90 cm).**
— One large cooking surface.
— Free positioning of up to 6 items of cookware.
— All sizes and formats of cookware can be used.
— TFT touch display for an intuitive control of all functions.
— Cooking sensor function for temperature control in pots.
— Professional cooking functions.
— Max. power output of up to 5,500 W for large cookware.

Included accessories

1 Cooking sensor for temperature regulation

CX 492 612
gray glass ceramic
stainless steel frame

— May be combined with other Varios.



Vario 400 series full surface induction cooktop
CX 482

— **Width 30" (80 cm).**
— Black glass ceramic.
— One large cooking surface.
— Free positioning of up to 5 items of cookware.
— All sizes and formats of cookware can be used.
— TFT touch display for an intuitive control of all functions.
— Cooking sensor function for temperature control in pots.
— Professional cooking functions.
— Max. power output of up to 5,500 W for large cookware.

Included accessories

1 Cooking sensor for temperature regulation in pots.

CX 482 612
gray glass ceramic
stainless steel frame

— May be combined with other Varios.



*Precios expresados en Dólares, no incluyen IVA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

400 series Vario gas cooktops

Common features

- Stainless steel.
- Natural gas.
- Full electronic power regulation on 12 levels.
- Precise and reproducible flame size.
- Automatic quick ignition, electronic flame monitoring with automatic re-ignition.
- Simmer function for cooking on a very low output level.
- Solid stainless steel control knobs.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.



Vario 400 series gas cooktop
VG 491

— **Width 36" (90 cm).**
— Five multi-ring burners with up to 59,700 BTU.
— Solid smooth-surface cast-iron pan supports.

Included accessories

1 wok attachment ring

VG 491 211CA
stainless steel frame)

For conversion to LP gas, LP kit (Part No. 10004447) must be ordered.

— May be combined with other Vario 400 series.



Vario 400 series gas wok
VG 415

— **Width 15" (38 cm).**
— Three-ring burner with 18,800 BTU.

Included accessories

1 wok attachment ring

VG 415 211CA
stainless steel frame

For conversion to LP gas, LP kit (Part No. 10004445) must be ordered.

If using a VL 414 712 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

— Cannot be vented in recirculation.



Vario 400 series gas cooktop
VG 425

— **Width 15" (38 cm).**
— Two multi-ring burners up to 13,600 BTU.

VG 425 211CA
stainless steel frame, 15" (38 cm)

For conversion to LP gas, LP kit (Part No. 10004446) must be ordered.

400 series Vario teppan yaki and grill

Common features

- Stainless steel.
- Solid stainless steel control knob.
- Precision-crafted 1/8-inch (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.



Vario 400 series teppan yaki
VP 414

— **Width 15" (38 cm).**
— Hard chrome-plated surface for teppan cooking and use as griddle, grill, searer and warming plate. No pots or pans necessary.
— Exact temperature control up to 480° F.
— Optimum heat distribution.

Included accessories

2 spatulas

VP 414 611
stainless steel frame



Vario 400 series electric grill
VR 414

— **Width 15" (38 cm).**
— Two zones can be operated together or separately.
— Half size cast-iron griddle included for simultaneous searing and grilling on two separate surfaces.
— Open cast-iron grill, lava stones.
— Not recommended for recirculating ventilation.

Included accessories

1 cast-iron griddle, half size.
1 grease collecting insert.
2 cast-iron grills.
1 lava stone.
1 cleaning brush.

VR 414 611
stainless steel frame

If using a VL 414 712 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

— Cannot be vented in recirculation.

200 series Vario induction cooktops

Common features

- Black control panel.
- Can be combined with other Vario 200 series products.
- Control panel for comfortable and secure operation.



Vario 200 series induction cooktop
VI 230

— **Width 12" (28 cm).**

Included accessories

1 glass scraper

VI 230 620
black control panel)

200 series Vario gas cooktops

Common features

- Black control panel.
- Natural gas.
- Can be combined with other Vario 200 series products.
- Control panel for comfortable and secure operation.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.



Vario 200 series gas cooktop
VG 232

— **Width 12" (28 cm).**
— Solid smooth-surface cast iron pan supports for easy and safe positioning of cookware).

VG 232 220CA
black control panel,

For conversion to LP gas, LP kit (Part No. 10009476) must be ordered.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

200 series Vario teppan yaki and grill

Common features

- Black control panel.
- Can be combined with other Vario 200 series products.
- Control panel for comfortable and secure operation.



Vario 200 series teppan yaki
VP 230

— **Width 12" (28 cm).**
— Cooking directly on the metal surface, without any pots or pans.

— Exact temperature control up to 480 °F.
— Keeping warm setting.

Included accessories

2 spatula

VP 230 620
black control panel



Vario 200 series electric grill
VR 230

— **Width 12" (28 cm).**
— 2 zones, separately controlled.
— Open cast iron grill, lava stones.
— Not recommended for recirculating ventilation.

Included accessories

1 grease collecting insert.
1 cast iron grill.
1 lava stone.
1 cleaning brush.

VR 230 620
black control panel

If using a VL 200 120 downdraft ventilation, please ensure this appliance is placed in-between two downdrafts.

— Cannot be vented in recirculation.

Vario accessories

		400 series									200 series						
		CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 414 613 wok 15"	VI 422 613 flex induction 15"	VG 491 211CA gas 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 414 611 teppan yaki 15"	VR 414 electric grill 15"	VI 263 620 induction 24"	VI 230 620 induction 12"	VG 264 220CA gas 24"	VG 231 220CA wok 12"	VG 232 220CA gas 12"	VP 230 620 teppan yaki 12"	VR 230 620 electric grill 12"	
	— Cooking sensor for temperature regulation within pots. — For CX 492/482 full surface induction .	•	•																**CA 060 600** — Black control knobs. — Set of 2. — Automatically senses the temperature inside the pot and controls it. — First, attach the sensor patch/adhesive (Part No. 00577921) to the pot. Next, attach the sensor to the patch. The small knob holds the larger knob in place on the pot. — Do not wash sensor in dishwasher. — To order a set of 5 sensor patches, please order Part No. 00577921.
	— Lava stones for refilling. Required for use of VR grill.										•						•		**LV 030 000** — Replacement lava stones for lava grills. — Easy to clean - wash with warm, soapy water then rinse with clear water and dry. — 6.6 pounds.

Vario accessories

		400 series										200 series							
		CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 414 613 wok 15"	VI 422 613 flex induction 15"	VG 491 211CA gas 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 414 611 teppan yaki 15"	VR 414 electric grill 15"	VI 263 620 induction 24"	VI 230 620 induction 12"	VG 264 220CA gas 24"	VG 231 220CA wok 12"	VG 232 220CA gas 12"	VP 230 620 teppan yaki 12"	VR 230 620 electric grill 12"	
	— Vario 400 Stainless steel appliance cover with mounting strip. — Only available for individual Vario installation.							•	•	•	•								**VA 440 010** Cover may only be used with stand alone Vario 400 cooktops, not when combined with other Vario 400 series cooktops. — Only available for individual Vario installation. Not for use when connecting multiple Varios in a single cut-out. — Covers & protects cooktop while not in use. — Stainless steel, has mounting strip.
	— Vario 200 series black appliance cover.											•	• [1]	•	•	•	•	•	**VD 200 020** — Covers & protects cooktop while not in use.
	— Wok pan made of multiple-layer material. — With round bottom and handle, ø 14 3/16", 6.3 qt., height 4".			•	•		•	•							•				**WP 400 001** — Made of multi-ply material. — Round bottom. — 14.8" diameter, 3.9" height. — For wok attachment to hold wok in place, order Part No. 00464256.
	— Wok support ring for wok pan. — For use with VI 414 Vario induction wok and VI 492 Vario flex induction cooktop only.			•	•														**WZ 400 000**
	— Teppan Yaki plate made of multi-ply material — 13" × 21", GN 1/1. — For full surface induction cooktop CX 492/482.	•	•																**GN 232 110** — For induction & electric cooktops. — Made of multi-ply material. — 13" × 21".
	— Teppan Yaki. — For CI 292/282 flex induction cooktops.	•	•	•		•													**CA 051 301** — For flex induction cooktops.
	— Air deflector for VL 414 next to a VG 415 or VG 425 gas appliance.							•	•										**AA 414 010**

1 Purchase two units

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Vario accessories

		400 series										200 series							
		CX 492 611/612 induction 36"	CX 482 611/612 induction 30"	VI 492 613 flex induct. 36"	VI 414 613 wok 15"	VI 422 613 flex induction 15"	VG 491 211CA gas 36"	VG 415 211CA gas wok 15"	VG 425 211CA gas 15"	VP 414 611 teppan yaki 15"	VR 414 electric grill 15"	VI 263 620 induction 24"	VI 230 620 induction 12"	VG 264 220CA gas 24"	VG 231 220CA wok 12"	VG 232 220CA gas 12"	VP 230 620 teppan yaki 12"	VR 230 620 electric grill 12"	
	— Connection strip for combination with other Vario 400 series appliances for **flush** mounting.	●	●	●	●	●	●	●	●	●	●								**VA 420 000**
	— Invisible connection strip for combination with other Vario 400 series **flush** mounting.	●	●	●	●	●	●	●	●	●	●								**VA 420 004**
	— Connection strip for combination with other Vario 400 series appliances for **surface** mounting.	●	●	●	●	●	●	●	●	●	●								**VA 420 010**
	— Stainless steel connection strip for combination with other Vario 200 series appliances.											●	●	●	●	●	●	●	**VV 200 010**
	— Black connection strip for combination with other Vario 200 series appliances.											●	●	●	●	●	●	●	**VV 200 020**
	— Retro-fit connection strip for old Vario. — Fills gap in countertop when replacing older 400 series Vario units.	●	●	●	●	●	●	●	●	●	●								**VV 401 000**
	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar.							●											**Part No. 10004445** See Cleaners & Accessories Price List for pricing
	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar.								●										**Part No. 10004446** See Cleaners & Accessories Price List for pricing
	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25 mbar.						●												**Part No. 10004447** See Cleaners & Accessories Price List or One Portal for pricing
	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar. — For VG 232CA and VG 264 (4 burners, order 2 kits).													[2] ●		●			**Part No. 10009476** See Cleaners & Accessories Price List for pricing

2 Order 2 kits.


GAGGENAU

Gas cooktops



Vario 400 series gas cooktop
VG 491

- **Width 36" (90 cm).**
- Stainless steel.
- Natural gas.
- Five multi-ring burners with up to 59,700 BTU.
- Full electronic power regulation on 12 levels.
- Precise and reproducible flame size.
- Automatic quick ignition, electronic flame monitoring with automatic re-ignition.
- Simmer function for cooking on a very low output level.
- Solid smooth-surface cast-iron pan supports.
- Solid stainless steel control knobs.
- Precision-crafted 3 mm stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be combined with other Vario 400 series products.

Included accessories

1 wok attachment ring.

VG 491 211CA
stainless steel, natural gas

For conversion to LP gas, LP kit (Part No. 10004447) must be ordered.

- May be combined with other Vario 400 series.



200 series gas cooktop
VG 295

- **Width 36" (90 cm).**
- Stainless steel control panel.
- Control panel for comfortable and secure operation.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.
- Multi-ring burner of solid, heat-resistant brass as used in professional kitchen.
- Solid smooth-surface cast-iron pan support.
- Up to 59,700 BTU (17 kW) on 5 burners.

Included accessories

1 wok attachment ring.

VG 295 150CA
stainless steel, liquid gas

VG 295 250CA
stainless steel, natural gas

- Cannot be combined with other Vario 200 series.



200 series gas cooktop
CG 280

- **Width 30" (76 cm).**
- Stainless steel control panel.
- Control panel for comfortable and secure operation.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.
- Mechanical power level regulation for 9 power levels, with exact setting and reproduction of flame size.
- Solid smooth-surface cast-iron pan support.
- Up to 42,700 BTU (12.5 kW) on 5 burners.

CG 280 212CA
stainless steel, natural gas

- Cannot be combined with other Vario 200 series.

400 series induction cooktops

Common features

- Stainless steel frame.
- Precision-crafted 1/8" (3 mm) stainless steel.
- For surface mounting with a visible edge or for flush mounting.
- Can be perfectly combined with other Vario 400 series appliances.
- Home Connect®.



Vario 400 series full surface induction cooktop
CX 492

- **Width 36" (90 cm).**
- One large cooking surface.
- Free positioning of up to 6 items of cookware.
- All sizes and formats of cookware can be used.
- TFT touch display for an intuitive control of all functions.
- Cooking sensor function for temperature control in pots.
- Professional cooking functions.
- Max. power output of up to 5,500 W for large cookware.

Included accessories

1 Cooking sensor for temperature regulation

CX 492 612
gray glass ceramic
stainless steel frame

- May be combined with other

Varios.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

400 series induction cooktops



Vario 400 series full surface induction cooktop
CX 482

— **Width 30" (80 cm).**
— Black glass ceramic.
— One large cooking surface.
— Free positioning of up to 5 items of cookware.
— All sizes and formats of cookware can be used.
— TFT touch display for an intuitive control of all functions.
— Cooking sensor function for temperature control in pots.
— Professional cooking functions.
— Max. power output of up to 5,500 W for large cookware.

Included accessories

1 Cooking sensor for temperature regulation in pots.

CX 482 612
gray glass ceramic
stainless steel frame

— May be combined with other

Varios.



*Precios expresados en Dólares, no incluyen IVA.

Cooktop accessories

		400 series				200 series						
		VG 491 211CA gas 36″	CX 492 611/612 induction 36″	CX 482 611/612 induction 30″	VI 492 613 flex induct. 36″	VI 263 620 induction 24″	VG 295_50CA 36″	CG 280 212CA gas 30″	VG 264 220CA gas 24″	CI 292 602 induction 36″	CI 282 602 induction 30″	
	— Teppan Yaki plate made of multi-ply material — 13″ × 21″, GN 1/1. — For full surface induction cooktop CX 492/482.		•	•								**GN 232 110** — For induction & electric cooktops. — Made of multi-ply material. — 13″ × 21″. — For smaller Teppan Yaki plate, order Part No. 00573429.
	— Teppan Yaki. — For CI 292/282 flex induction cooktops.		•	•	•					•	•	**CA 051 301** — For flex induction cooktops.
	— Wok pan made of multiple-layer material. — With round bottom and handle, ø 14 3/16″, 6.3 qt., height 4″.	•			•		•	•				**WP 400 001** — Made of multi-ply material. — Round bottom. — 14.8″ diameter, 3.9″ height. — For wok attachment to hold wok in place, order Part No. 00464256.
	— Wok support ring for wok pan. — For use with VI 414 Vario induction wok and VI 492 Vario flex induction cooktop only.				•							**WZ 400 000**
	— Connection strip for combination with other Vario 400 series appliances for **flush** mounting.	•	•	•	•							**VA 420 000**
	— Invisible connection strip for combination with other Vario 400 series **flush** mounting.	•	•	•	•							**VA 420 004**
	— Connection strip for combination with other Vario 400 series appliances for **surface** mounting.	•	•	•	•							**VA 420 010**
	— Black connection strip for combination with other Vario 200 series appliances.					•			•			**VV 200 020**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Cooktop accessories

		400 series				200 series						
		VG 491 211CA gas 36″	CX 492 611/612 induction 36″	CX 482 611/612 induction 30″	VI 492 613 flex induct. 36″	VI 263 620 induction 24″	VG 295_50CA 36″	CG 280 212CA gas 30″	VG 264 220CA gas 24″	CI 292 602 induction 36″	CI 282 602 induction 30″	
	— Stainless steel connection strip for combination with other Vario 200 series appliances.					•	•		•	•	•	**VV 200 010**
	— Cooking sensor for temperature regulation within pots. — For CX 492/482 full surface induction .		•	•						•	•	**CA 060 600** — Black control knobs. — Set of 2. — Automatically senses the temperature inside the pot and controls it. — First, attach the sensor patch/adhesive (Part No. 00577921) to the pot. Next, attach the sensor to the patch. The small knob holds the larger knob in place on the pot. — Do not wash sensor in dishwasher. — To order a set of 5 sensor patches, please order Part No. 00577921.
	— Black magnetic knob for 200 series induction cooktop. — Stainless steel knob with black coating.									•	•	**CA 230 100**
	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25 mbar.	•										**Part No. 10004447** See Cleaners & Accessories Price List or One Portal
	— LP gas kit. — Nozzle set liquid gas. — Liquid gas, LPG 25/27.5 mbar. — For VG 232CA and VG 264 (4 burners, order 2 kits).								1 •			**Part No. 10009476** See Cleaners & Accessories Price List or One Portal

1 Order 2 kits.

Ventilation



400 series downdraft

Common features

- Stainless steel.
- Air extraction / Air recirculation.
- Precision crafted 3 mm stainless steel.



Retractable downdraft
AL 400

- **Width 46 5/8" (120 cm).**
- Two blowers required.
- Extendable downdraft ventilation, when not in use can be completely lowered into the countertop.
- Can be combined perfectly with all Vario cooktops 400 series.

- Dimmable, neutral white surface LED light for ideal illumination of the cooktop.
- For surface mounting with a visible edge or for flush mounting.
- Motorless, to be combined with Gaggenau blower(s).

AL 400 722
stainless steel

Refer to Accessories Guide on page 50 for required accessories.



Retractable downdraft
AL 400

- **Width 36" (90 cm).**
- Single blower required.
- Extendable downdraft ventilation, when not in use can be completely lowered into the countertop.
- Can be combined perfectly with all Vario cooktops 400 series.

- Dimmable, neutral white surface LED light for ideal illumination of the cooktop.
- For surface mounting with a visible edge or for flush mounting.
- Motorless, to be combined with Gaggenau blower(s).

AL 400 792
stainless steel

Refer to Accessories Guide on page 50 for required accessories.



400 series Vario downdraft ventilation
VL 414

- **Width 6 1/8" (155 cm).**
- Control knob with illuminated ring included.
- Can be combined perfectly flush with other Vario appliances of the 400 series.
- Solid stainless steel control knob.
- Highly efficient, low noise recirculation system with AR 410 710 blower.

- Air extraction with AR 400 742, AR 403 722, or AR 401 742 blowers.
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Minimal planning and easy installation.
- Home Connect®.

VL 414 712
stainless steel

Refer to Accessories Guide on page 50 for required accessories.

- One blower per downdraft.
- Control knob included with each downdraft. Ships with exhaust air elbow.

400 series wall hoods



400 series wall hood
AW 442

- **Width 48" (120 cm).**
- Stainless steel.
- Air extraction/Air recirculation.
- Professional technology hood combined with classic Gaggenau design.
- Highly efficient extraction of cooking vapors due to a large vapor collection area.
- Comes without blower, can be combined with (BLDC) blowers.

- Angled baffle filter with high grease absorption.
- Automatic function, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Dimmable, neutral white LED lighting for ideal illumination of the cooktop.
- Air recirculation module with activated charcoal filter: quiet and highly efficient recirculation solution with odor reduction as in air extraction mode, and long replacement intervals.

AW 442 720
stainless steel

Without blower. (Choose from 400 series AR 400 743 internal, AR 400 742 inline or AR 401 742 remote blower.).
Duct cover not included.

*Precios expresados en Dólares, no incluyen IVA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

200 series downdraft



Vario 200 series downdraft ventilation
VL 200

- **Width 5 15/16" (15 cm).**
- Black control panel.
- Air extraction / air recirculation.
- Can be combined with other Vario 200 series products.
- Highly efficient ventilation system at the cooktop integrated in the countertop.
- Function for automatic, sensor-controlled power adjustment depending on the build-up of cooking vapors.
- Minimal planning and easy installation.
- Low-noise system with recirculation blower AR 410 710.
- Air extraction with AR 403 722 blower.

VL 200 120
black control panel

- One recirculating or extraction blower per downdraft.

200 series visor hoods



200 series visor hood
AF 210

- **Width 36" (90 cm).**
- Stainless steel handle bar.
- HVI CFM: 370, High Speed.
- Air extraction/Air recirculation.
- Unobtrusive visor hood design thanks to integrated glass sheet in the steam screen.
- Especially quiet operation thanks to integrated sound insulation.
- Steam screen extends by pulling the handle bar.
- Especially high air output.
- Energy-saving, low-noise fan.
- Function for automatic, sensor controlled power adjustment depending on the build-up of cooking vapors.
- Dimmable, neutral white LED light for ideal illumination of the cooktop.
- The patented lowering frame allows the visor hood to disappear completely into the upper cabinet.
- Air extraction or air recirculation system.
- Air recirculation module with activated charcoal filter: quiet and highly efficient air recirculation solution with odor reduction as in air extraction mode and long replacement intervals.

AF 210 791
stainless steel

- To hide hood from view for 36" model AF 210 791, order the lowering frame (AA 210 492).Mounting kit (AA 210 491) must be ordered if lowering frame is not used.



Blowers

		400 series					200 series				
		AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"	
	— 400 series inline blower. — Metal housing. — HVI CFM: 390, High Speed. — Air extraction. — Inside installation. — 400 series ventilation systems such as AL 400 retractable downdraft, VL 414 downdraft and AW/AI 442 professional wall/ island hood. — Quiet blower with high-efficiency BLDC technology.	1 ●	●	●	●	●					**AR 400 742**
	— 400 series internal blower. — Metal housing. — HVI CFM: 300, High Speed. — Air extraction. — For installation in the duct cover. — Powerful blower to combine with 400 series AW/AI 442 wall and island hood. — Quiet blower with high-efficiency BLDC technology. — Compact and space-saving due to the installation in the duct cover of AI/AW 442 island/ wall hood.				●	●					**AR 400 743** Internal blower can only be used with 400 series AI/AW 442 island/wall hood
	— Inline blower 400 and 200 series. — Metal housing. — HVI CFM: 440, High Speed. — Air extraction. — Powerful inline blower to combine with motorless appliances AL 400, VL 200, VL 414. — Efficient BLDC technology. — Compact and space-saving installation in a 4" (10 cm) high toe-kick.	2 ●	●	●			●				**AR 403 722**
	— 400 series remote blower. — Stainless steel. — HVI CFM: 620, High Speed. — Air extraction. — Outside wall installation. — Powerful blower for combination with 400 series ventilation systems such as AL 400 retractable downdraft, VL 414 downdraft and AW/AI 442 professional wall/island hood. — Quiet blower with high-efficiency BLDC technology.	3 ●	●	●	●	●					**AR 401 742**

1 Order two units.
2 Order two units
3 Order two units.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Blowers

		400 series					200 series				
		AL 400 722 46″	AL 400 792 36″	VL 414 712 6″	AI 442 720 48″	AW 442 720 48″	VL 200 120 6″	AI 230 700 40″	AW 230 790 36″	AF 210 791 36″	
	— 400 and 200 series recirculation blower. — Metal housing. — HVI CFM: 600, High Speed. — Air recirculation. — Works with AL 400 retractable downdraft and VL 414/VL 200 downdraft. — Powerful recirculation blower to combine with 400/200 series Vario downdraft and 400 series AL 400 retractable downdraft ventilation. — Efficient BLDC technology. — Particularly quiet due to patented noise insulation. — Compact, space-saving installation.	4 ●		●			●				**AR 410 710**
	— 400 and 200 series recirculation blower. — HVI CFM: 370, High Speed. — Air recirculation. — For installation in 4″ toe-kick. — Powerful blower for combination with 400 series AL 400 retractable downdraft and VL 414/VL 200 downdraft. — Quiet blower with high-efficiency BLDC technology. — Compact and space-saving installation in a 4-inch high toe-kick.		●	●			●				**AR 413 722** For air recirculation operation additional accessories are required: AA 413 723 air recirculation module and AD 413 722 oval aluminum flex duct to connect to AR 413 722 recirculation blower.

4 Order two units.

Recirculation modules

Common features


- Long Life recirculation kit, external.
- Multiple regenerative Long Life active carbon filter.
- Consisting of filter housing with design cover, multiple regenerative Long Life active carbon filter, flexible hose, 2 hose clamps and mounting material.

		400 series					200 series				
		AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"	
	— Recirculation module with regenerable filter to replace AA 200 812. — Can be combined with AW 230 wall hood. — For installation on either the outer or on the telescopic chimney piece.							●			**Part No. 17004654** See One Portal for pricing Replacement for AA 200 812. For replacement filters please order one of the following: — Part No. 11049036 Standard filter. — Part No. 11019121 Regenerable odor filter.
	— Recirculation module with regenerable filter to replace AA 200 816. — Can be combined with AI 230 island hood. — For installation on either the outer or on the telescopic chimney piece.							●			**Part No. 17004651** See One Portal for pricing Replacement for AA 200 816. For replacement filters please order one of the following: — Part No. 11049036 Standard filter. — Part No. 11019121 Regenerable odor filter.
	— Recirculation module with regenerable filter to replace AA 211 812. — For recirculation operation. — Can be combined with 200 series AF 210 Visor hoods. — For installation in the upper cupboard.									●	**Part No. 17004653** See One Portal for pricing Replacement for AA 211 812. For replacement filters please order the following: — Part No. 11023685.
	— Air recirculation module with activated charcoal filter. — For recirculation mode. — Can be combined with 400 series AI/ AW 442 island and wall hood. — Odor reduction comparable to air extraction mode (95%). — Noise reduction of up to 3 dBA when compared to conventional air recirculation filter systems. — Extended change interval for the activated charcoal filter (approx.1–1.5 years depending on cooking frequency). — For installation on the inner duct cover. — Consisting of filter bracket, two activated charcoal filters, flexible hose and two hose clamps.					●					**AA 442 810**


*Precios expresados en Dólares, no incluyen IVA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Blower accessories

		Blowers						Recirculation modules				
		AR 400 742	AR 400 743	AR 403 722	AR 401 742	AR 410 710	AR 413 722	AA 442 810	Part No. 17004651	Part No. 17004653	Part No. 17004654	
	— Recirculation kit with filter for use with 400 series AR 413 722 recirculation blower.						●					**AA 413 723**
	— Oval flex duct to connect 400 series AR 413 722 recirculation blower with AA 413 723 recirculation kit.						●					**AD 413 722**
	— 2 additional activated charcoal filters with highly efficient odor reduction. For use with recirculation module AA 442 810.							●	●			**Part No. 11049036** See One Portal for pricing Replacement for AA 200 110 and AA 442 110.
	— Air recirculation module with activated charcoal filter. — For recirculation mode. — Can be combined with 400 series AI/ AW 442 island and wall hood. — Odor reduction comparable to air extraction mode (95%). — Noise reduction of up to 3 dBA when compared to conventional air recirculation filter systems. — Extended change interval for the activated charcoal filter (approx.1–1.5 years depending on cooking frequency). — For installation on the inner duct cover. — Consisting of filter bracket, two activated charcoal filters, flexible hose and two hose clamps.		●									**AA 442 810**
	— 2 regenerable activated charcoal filter. — For air recirculation included with AR 410 710 blower.					●						**AA 410 112**
	— 2 additional activated charcoal filter with high efficient odor reduction due to large surface. For use with AA 413 723 air recirculation module.						●					**Part No. 11058748** See One Portal for pricing

Blower accessories

		Blowers						Recirculation modules				
		AR 400 742	AR 400 743	AR 403 722	AR 401 742	AR 410 710	AR 413 722	AA 442 810	Part No. 17004651	Part No. 17004653	Part No. 17004654	
	— Filter for use with AA 211 812 recirculation module. — Long Life odor filter. — 458 × 190 × 45 mm. — Replacement filter for use with Part. No. 17004653 recirculation module.									●		**Part No. 11023685** See One Portal for pricing Replacement for AA 210 110. Replacement filter for Part No. 17004653 recirculation kit.
	— Filter for AW/AI 230. — Clean Air Standard odor filter. — 230 × 190 × 100 mm. — Replacement filter for use with Long Life recirculation kit Part No. 17004651 and Part No. 17004654.								●		●	**Part No. 11049036** See Cleaners & Accessories Price List for pricing Replacement for AA 200 110 and AA 442 110. Replacement filter for Part No. 17004651 and Part No. 17004654 recirculation kit.
	— Filter for AW/AI 230. — Long Life odor filter. — Replacement filter for use with Long Life recirculation kit Part No. 17004651 and Part No. 17004654.								●		●	**Part No. 11019121** See One Portal for pricing Replacement for AA 200 110 and AA 442 110. Replacement filter for Part No. 17004651 and Part No. 17004654 recirculation kit.

Installation and optional accessories

		400 series					200 series				
		AL 400 722 46"	AL 400 792 36"	VL 414 712 6"	AI 442 720 48"	AW 442 720 48"	VL 200 120 6"	AI 230 700 40"	AW 230 790 36"	AF 210 791 36"	
	— Ceiling collar for duct cover. — Stainless steel.					●					**AD 442 392** stainless steel
	— Ceiling collar for AW 230 wall hood duct cover. — Stainless steel.								●		**AD 200 392** stainless steel

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Installation and optional accessories

		400 series					200 series				
		AL 400 722 46″	AL 400 792 36″	VL 414 712 6″	AI 442 720 48″	AW 442 720 48″	VL 200 120 6″	AI 230 700 40″	AW 230 790 36″	AF 210 791 36″	
	— Ceiling collar for AI 230 island hood duct cover. — Stainless steel.				●			●			**AD 220 396** stainless steel
	— Extension for mounting kit for island hood AI 230. — For a duct cover height of 3′ 7 5/16″ to 4′ 11″ (1100–1500 mm).							●			**AD 223 346** Must be ordered in conjunction with the AD 200 322. Appliance height is dependent on the structure (cabinet height).
	— Adapter for island hood AI 230. — For installation on a slanted roof to the left or to the right. Suitable for a slanted roof from 20 - 45 degrees.							●	●		**AD 223 356**
	— Adapter for island hood AI 230. — For installation on a slanted roof forwards or backwards. Suitable for a slanted roof from 20 - 45 degrees.							●	●		**AD 223 366**
	— Lowering frame for 36″ AF 210 visor hood.									●	**AA 210 492** A flexible duct (Part No. 00361093) is needed when installed with lowering frame.
	— Mounting set for 36″ cabinet for 36″ AF visor hood.									●	**AA 210 491** A flexible duct (Part No. 00361093) is needed when installed with lowering frame.
	— Wall outlet. — Stainless steel. — DN 150 flat. — Weatherproof stainless steel louvers. — Integrated one-way flap.	●	●	●	●	●					**AD 850 050**

Installation and optional accessories

		400 series					200 series				
		AL 400 722 46″	AL 400 792 36″	VL 414 712 6″	AI 442 720 48″	AW 442 720 48″	VL 200 120 6″	AI 230 700 40″	AW 230 790 36″	AF 210 791 36″	
	— Telescopic wall-duct Stainless steel ø 8″ round DN 200. — ø 8″ round DN 200 transition Integrated one-way flap. — For use with 200 and 400 series AR 401 remote blowers.	●[1]	●	●	●	●					**AD 702 052**
	— Duct cover for exhaust mode for AW 442. — Stainless steel.				●	●					**AD 442 012** stainless steel, length 24 7/16″, for 7′ 9″–8′ 6″ ceiling heights **AD 442 022** stainless steel, length 33 7/8″, for 8′ 6″–10′ 2″ ceiling heights
	— Duct cover for recirculation mode for AW 442. — Stainless steel.				●	●					**AD 442 112** stainless steel length 24 7/16″, for 7′ 9″–8′ 6″ ceiling heights **AD 442 122** stainless steel length 33 7/8″, for 8′ 6″–10′ 2″ ceiling heights
	— Duct cover extension for extraction air mode. — Stainless steel.								●		**AD 200 322** stainless steel length 3′ 3 5/8″ (1000 mm). 8′ 8 13/32″ – 9′ 8 13/32 ceiling heights Must be ordered with mounting kit AD 223 346.
	— Duct cover extension for extraction air mode. — Stainless steel.							●			**AD 200 326** stainless steel length 3′ 7 5/16 (1,100 mm). 9′ 4 13/16 – 10′ 4 13/32″ ceiling heights Must be ordered with mounting kit AD 223 346.

1 Order two units.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

AL 400 downdraft installation accessories

		400 series					200 series				
		AL 400 722 46″	AL 400 792 36″	VL 414 712 6″	AI 442 720 48″	AW 442 720 48″	VL 200 120 6″	AI 230 700 40″	AW 230 790 36″	AF 210 791 36″	
	— Ventilation molding for VL 200 next to gas appliance.						●				**LS 041 001**
	— Air deflector used with 400 series VL 414 downdraft adjacent to gas cooktops.			●							**AA 414 010**
	— Cabinet support for AL 400. — 36″ width.	●									**AA 409 401**
	— Cabinet support for AL 400. — 48″ width.		●								**AA 409 431**
	— Air exhaust grill air recirculation. — Stainless steel-colored. — 35 7/16″ (90 cm), including installation fittings, height adjustable. — For use with VL 200 , VL 414 or AL 400.	●	●	●			●				**AA 010 410**
	— Connecting piece to 2x ø 6″ round ducts, either mounted on front or back of AL 400.	●	●								**AD 754 049**
	— Connecting piece. — AL 400 for flat duct, 2 × DN 150. — Metal zinc plated. — DN 150 flat.	●	●								**AD 854 050**
	— Air collector flat duct for AL 400. — Metal zinc plated. — DN 150 flat.		●								**AD 704 050**

AL 400 downdraft metal ducting



— Flat duct.
— Metal.
— DN 150 flat.
— Length 1000 mm.

AD 854 010




— Flat duct connecting piece.
— Metal.
— DN 150 flat.
— To connect 2 flat ducts.

AD854040



— Flat duct bend 90° vertical.
— Metal.
— DN 150 flat.
— For extra deep countertop.

AD 854 030



— Flat duct bend 90° horizontal.
— Metal.
— DN 150 flat.
— Vario 400.

AD 854 031



— Flat duct bend connecting piece.
— Metal.
— DN 150 flat.
— To connect 2 flat duct bends.
— For extra deep countertop.

AD 854 000



— Flat duct flex pipe.
— Metal.
— DN 150 flat.
— Length 1000 mm.

AD 858 010



— Flat duct adapter round 90° when connecting to 6″ (DN 150) round aluflex pipe AD 751 010.
— Metal.
— DN 150 flat/round.
— Transition from flat duct to round duct.

AD 854 032



— Flat duct adapter round.
— Metal.
— DN 150 flat/round.
— Transition from flat duct to round duct.

AD 854 041



— Adhesive tape for duct components.
— Aluminum.
— Width 2″ (50 mm).
— 32.5′ (10 m)/roll.

AD 990 091

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

AL 400 downdraft metal ducting



— Flexible connecting piece for VL 200 and VL 414 downdraft.
— DN 150 flat.

AD 410 040



— Connecting piece VL 200 and VL 414 for extension with flat duct DN 150 for extra deep countertop.

AD 851 041



— Aluflex pipe.
— Aluminum.
— ø 6″ (DN 150 round).

AD 751 010



— Metal zinc plated.
— 8″ round.
— Reduce 8″ connection to 6″ connection.

AD 704 040

*Precios expresados en Dólares, no incluyen IVA.

Ventilation system

Blowers

Required installation accessories

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Blowers and ventilation systems compatibility



AL 400 792
36″ Retractable downdraft

For specific questions, please contact GaggenauConcierge@bshg.com



AR 413 722
Recirculation configuration*



AA 413 723
Recirculation kit

+



AD 413 722
Oval flex duct

6″ round duct option for venting front/back



AD 754 049
Transition to 2x 6″ round for front/back of AL



2x AD 854 032
Flat Duct adapter round 90°



2x AD 858 010
Flat duct flex pipe



AD 704 050
Air collector flat duct



AD 990 091
Aluminum adhesive tape



AA 010 410
Air exhaust grill (or custom grill)

flat duct option for venting downward



AD 854 050
Connecting pieces



2x AD 858 010
Flat duct flex pipe



AD 704 050
Air collector flat duct



AD 990 091
Aluminum adhesive tape



AA 010 410
Air exhaust grill (or custom grill)



AR 400 742
Inline

flat duct option for venting downward



AD 854 050
Connecting pieces



2x AD 854 010
Flat duct connecting piece



2x AD 854 041
Flat Duct adapter round



AD 751 010
Aluflex pipeduct 6″



AR 401 742
Remote

flat duct option for venting downward



AD 854 050
Connecting pieces



2x AD 854 010
Flat duct connecting piece



2x AD 854 041
Flat Duct adapter round



AD 751 010
Aluflex pipeduct 6″



2x AD 854 032
Flat Duct adapter round 90°



2x AD 854 010
Flat duct connecting piece



AD 704 050
Air collector flat duct



AD 702 052
Telescopic wall duct 8″



AR 403 722
Inline

6″ round duct option for venting front/back



AD 754 049
Transition to 2x 6″ round for front/back of AL



2x AD 854 032
Flat Duct adapter round 90°



2x AD 858 010
Flat duct flex pipe



AD 704 050
Air collector flat duct



AD 990 091
Aluminum adhesive tape

flat duct option for venting downward



AD 854 050
Connecting pieces



2x AD 858 010
Flat duct flex pipe



AD 704 050
Air collector flat duct



AD 990 091
Aluminum adhesive tape

* For recirculation operation, order AR 413 722 + AA 413 723 + AD 413 722.

Ventilation system

Blowers

Required installation accessories

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



AL 400 722
46 5/8" Retractable downdraft

For specific questions, please contact
GaggenauConcierge@bshg.com



2x AR 410 710
Recirculation



2x AR 400 742
Inline



2x AR 401 742
Remote



2x AR 403 722
Inline



AD 754 049
Transition to
2x 6" round for front/
back of AL



2x AD 854 032
Flat Duct
adapter round 90°



2x AD 858 010
Flat duct
flex pipe



AD 990 091
Aluminum
adhesive tape



AA 010 410
Air exhaust grill
(or custom grill)

flat duct
option
for venting
downward



AD 854 050
Connecting
pieces



2x AD 854 010
Flat duct
connecting piece



2x AD 854 041
Flat duct
adapter round



2x AD 751 010
Aluflex
pipeduct 6"



AD 990 091
Aluminum
adhesive tape

flat duct
option
for venting
downward



AD 854 050
Connecting
pieces



4x AD 854 010
Flat duct
connecting piece



4x AD 854 041
Flat duct
adapter round



AD 751 010
Aluflex
pipeduct 6"



2x AD 854 032
Flat Duct
adapter round 90°



2x AD 704 040
Pipe adapter DN
200/150 round



2x AD 702 052
Telescopic wall
duct 8"



AD 990 091
Aluminum
adhesive tape



AD 754 049
Transition to
2x 6" round for front/
back of AL



2x AD 854 032
Flat Duct
adapter round 90°



2x AD 858 010
Flat duct
flex pipe



2x AD 854 041
Flat duct
adapter round

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Blowers and ventilation systems compatibility

For specific questions, please contact GaggenauConcierge@bshg.com



VL 414 712
Downdraft



AR 410 710
Recirculation



AD 410 040
Flexible connecting piece



AA 010 410
Air exhaust grill (or custom grill)
(*)



AR 413 722
Recirculation*



AA 413 723
Recirculation kit



AD 413 722
Oval flex duct



AD 858 010
Flat duct flex pipe



AD 854 041
Flat Duct adapter round



AA 010 410
Air exhaust grill (or custom grill)



AD 990 091
Aluminum adhesive tape
(*)



AR 400 742
Inline



AD 858 010
Flat duct flex pipe



AD 854 041
Flat Duct adapter round



AD 751 010
Aluflex pipeduct 6"



AD 854 032
Flat Duct adapter round 90°



AD 854 010
Flat duct pipe



AD 854 041
Flat Duct adapter round




AD 990 091
Aluminum adhesive tape
(*)



AR 401 742
Remote



AD 858 010
Flat duct flex pipe



AD 854 041
Flat Duct adapter round



AD 751 010
Aluflex pipeduct 6"



AD 854 032
Flat Duct adapter round 90°



AD 854 010
Flat duct pipe



AD 854 041
Flat Duct adapter round



AD 704 040
Pipe adapter DN 200/150 round



AD 702 052
Telescopic wall duct 8"



AR 403 722
Inline



AD 858 010
Flat duct flex pipe



AD 854 041
Flat Duct adapter round




AD 990 091
Aluminum adhesive tape
(*)



AD 990 091
Aluminum adhesive tape
(*)

(*) For extra deep countertop. Please add the parts below.



AD 851 041
Connecting piece for extension with flat duct



AD 854 000
Flat duct connecting piece



AD 854 030
Flat duct 90° bend vertical

Ventilation system

Blowers

Required installation accessories

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.



VL 200 120
Downdraft



AW 442 720
Wall hood

For specific questions, please contact GaggenauConcierge@bshg.com



AR 410 710
Recirculation



AR 413 722
Recirculation*

Additional configu-rations are available, see components starting on page 194.



AR 403 722
Inline



AA 413 723
Recirculation kit

+



AD 413 722
Oval flex duct



AD 858 010
Flat duct flex pipe



AD 854 041
Flat Duct adapter round



AD 990 091
Aluminum adhesive tape

(*)



AR 400 742
Inline



AR 401 742
Remote



AR 400 743
Internal



AD 442
Duct cover for air extraction



AD 442
Duct cover for air extraction



AD 442
Duct cover for air extraction or recirculation



AD 410 040
Flexible connecting piece



AD 858 010
Flat duct flex pipe



AA 010 410
Air exhaust grill (or custom grill)

(*)



AD 854 041
Flat Duct adapter round



AA 010 410
Air exhaust grill (or custom grill)



AD 990 091
Aluminum adhesive tape

(*)



AD 702 052
Telescopic wall duct 8″



AD 751 010
Aluflex pipeduct 6″


For Recirculation



AA 442 810
Recirculation kit with charcoal filter

* For recirculation operation, order AR 413 722 + AA 413 723 + AD 413 722.

(*) For extra deep countertop. Please add the parts below.



AD 851 041
Connecting piece for extension with flat duct



AD 854 000
Flat duct connecting piece



AD 854 030
Flat duct 90° bend vertical

Cooling



Expressive Series Vario fridge-freezer combination

Common features

- Dark brushed stainless steel interior, refined with solid anthracite aluminum elements.
- Warm white and glare-free LED light concept for optimal food presentation in all compartments.
- Opening assist for door enabling seamless integration without handles.
- Flat dark brushed stainless steel inner door.
- Flexible positioning of shelves and door racks through hidden rail system.
- Solid anthracite aluminum door bins.
- Professional freshness system with 2 fresh climate drawers and 1 chilled drawer.
- Internal water dispenser with water filter.
- Integrated ice maker with fixed water connection.
- Spacious, fully extendable freezer compartment including 2 additional interior drawers.
- Full touch TFT display.
- ENERGY STAR® certified.
- Home Connect®.
- Sabbath mode certified by Star-K.



Vario fridge-freezer combination
Gaggenau Expressive series
RVY 497

— **Width 35 ½" (90 cm).**
— Net volume 20 cu. ft. (566 liters).

Included accessories

1 egg holder with lid.
1 ice cube scoop.
2 oak wood bottle holder.
1 supply hose, 70 7/8" (1.8 m) with ¼" male compression fitting (standard ice maker connector).

RVY 497 790
fully integrated

— Panel ready.
— Operated with or without handle.
— Heater kits are no longer required or available.

Standard brushed stainless steel door panels with handles (not dark brushed stainless steel) are available to order, but require a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RA 421 915 (standard stainless-steel doors) and RVA 460 910 (installation accessory). Please see planning notes for details.



Vario fridge-freezer combination
Gaggenau Expressive series
RVB 497

— **Width 35 ½" (90 cm).**
— Net volume 20 cu. ft. (566 liters).

Included accessories

1 egg holder with lid.
1 ice cube scoop.
2 oak wood bottle holder.
1 supply hose, 70 7/8" (1.8 m) with ¼" male compression fitting (standard ice maker connector).

RVB 497 790
fully integrated

RIGHT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.
— Heater kits are no longer required or available.

Standard brushed stainless steel door panels with handles (not dark brushed stainless steel) are available to order, but require a larger 36" (914 mm) wide cutout in order to accommodate the larger doors. Please order RA 421 913 (standard stainless steel doors) and RVA 460 910 (installation accessory). Please see planning notes for details.



Vario fridge-freezer combination
Gaggenau Expressive series
RVB 477

— **Width 30" (76.2 cm).**
— Net volume 16.7 cu. ft. (473 liters).

Included accessories

1 egg holder with lid.
1 ice cube scoop.
2 oak wood bottle holder.
1 supply hose, 70 7/8" (1.8 m) with ¼" male compression fitting (standard ice maker connector).

RVB 477 790
fully integrated

RIGHT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.
— Heater kits are no longer required or available.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Vario 400 series refrigeration column

Common features

- Fully integrated.
- Stainless steel interior with solid anthracite aluminum elements.
- Warm white and glare-free LED light spots.
- Opening assist for door with two options:
  1. Push-to-open function for integration into handleless cabinet front
  2. Pull-to-open function to facilitate opening the door using a handle.
- The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door bins can be aligned on the same level.
- Flat stainless steel inner door, full-length.
- Almost invisible rail system for shelves and door bins for flexible positioning.
- Solid anthracite aluminum door bins.
- One fresh cooling drawer 32°F (0°C) with manually adjustable temperature)and one fresh cooling drawer with manually adjustable humidity.
- TFT touch display.
- ENERGY STAR® certified.
- Home Connect®.
- Sabbath mode certified by Star-K.



Vario 400 series refrigeration column
RC 492

— **Width 36" (91.4 cm).**
— Net volume 20.6 cu.ft.

Included accessories

1 egg holder with lid

RC 492 705
fully integrated

RIGHT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.



Vario 400 series refrigeration column
RC 472

— **Width 30" (76.2 cm).**
— Net volume 16.8 cu.ft.

Included accessories

1 egg holder with lid

RC 472 705
fully integrated

RIGHT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.



Vario 400 series refrigeration column
RC 462

— **Width 24" (61 cm).**
— Net volume 13.0 cu.ft.

Included accessories

1 egg holder with lid

RC 462 705
fully integrated

RIGHT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.

Vario 400 series freezer column

Common features

- Fully integrated.
- Stainless steel interior with solid anthracite aluminum elements.
- Warm white and glare-free LED light spots.
- Opening assist for door with two options:
  1. Push-to-open function for integration into handleless cabinet front
  2. Pull-to-open function to facilitate opening the door using a handle.
- The drawers in the RC and RF models are positioned at the same height. With side-by-side installation, the glass shelves and door bins can be aligned on the same level.
- Material and aesthetics of interior as for RC model.
- Glass shelves.
- Solid anthracite aluminum door bins.
- Flat stainless steel inner door, full-length.
- Integrated automatic ice maker with fixed water connection.
- TFT touch display.
- ENERGY STAR® certified.
- Home Connect®.
- Sabbath mode certified by Star-K.



Vario 400 series freezer column
RF 491

— **Width 36" (91.4 cm).**
— Almost invisible rail system for shelves and door bins for flexible positioning.
— Net volume 19.4 cu.ft.

Included accessories

1 ice cube scoop.
1 ice storage container, large.
1 Accessory for side-by-side installation (RA 460 000).
1 supply hose, 47" (1.2 m) with ¼" male compression fitting (standard ice maker connector).

RF 491 705
fully integrated

LEFT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.



Vario 400 series freezer column
RF 471

— **Width 30" (76.2 cm).**
— Almost invisible rail system for shelves and door bins for flexible positioning.
— Net volume 15.8 cu.ft.

Included accessories

1 ice cube scoop.
1 ice storage container, large.
1 Accessory for side-by-side installation (RA 460 000).
1 supply hose, 47" (1.2 m) with ¼" male compression fitting (standard ice maker connector).

RF 471 705
fully integrated

LEFT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.



Vario 400 series freezer column
RF 463

— **Width 24" (61 cm).**
— Almost invisible rail system for shelves for flexible positioning.
— Illuminated dispenser for ice cubes, crushed ice and chilled water in the door.
— Proximity sensor for ice and water dispenser.
— Net volume 11.2 cu.ft.

Included accessories

1 Accessory for side-by-side installation (RA 460 000).
1 supply hose, 47" (1.2 m) with ¼" male compression fitting (standard ice maker connector).

RF 463 707

fully integrated, 24" (60 cm), left hinged

LEFT-hinged only.

— Panel ready.
— Operated with or without handle.

*Precios expresados en Dólares, no incluyen IVA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Vario 400 series freezer column



Vario 400 series freezer column
RF 461

— **Width 24" (61 cm).**
— Almost invisible rail system for shelves and door bins for flexible positioning.
— Net volume 12.2 cu.ft.

Included accessories

1 ice cube scoop.
1 ice storage container, large.
1 Accessory for side-by-side installation (RA 460 000).
1 supply hose, 47" (1.2 m) with ¼" male compression fitting (standard ice maker connector).

RF 461 705
fully integrated

LEFT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.



Vario 400 series freezer column
RF 411

— **Width 18" (45.7 cm).**
— Almost invisible rail system for shelves and door bins for flexible positioning.
— Net volume 8.6 cu.ft.

Included accessories

1 ice cube scoop.
1 ice storage container, large.
1 Accessory for side-by-side installation (RA 460 000).
1 supply hose, 47" (1.2 m) with ¼" male compression fitting (standard ice maker connector).

RF 411 705
fully integrated, 18" (45.7 cm)

LEFT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.

400 series wine

Common features

- Fully integrated, with glass door.
- Consistent temperatures with exact control from 41 °F to 68 °F (+5 °C to +20 °C).
- Humidity control.
- Stainless steel interior.
- Fully extendable bottle trays in oak wood and solid aluminum in anthracite.
- Bottle trays with hidden telescopic rails.
- Warm white and glare-free LED light spots.
- 5 preset lighting scenarios, selectable via TFT display.
- Opening assist for door with two options:
  1. Push-to-open function for integration into handleless cabinet front
  2. Pull-to-open function to facilitate opening the door using a handle.
- Low-vibration operation.
- TFT touch display.
- Home Connect®.
- Sabbath mode certified by Star-K.



Vario 400 series wine climate cabinet
RW 466

— **Width 24" (61 cm).**
— Three independently controllable climate zones.
— Number of standard wine bottles: 99.

Included accessories

1 Accessory for side-by-side installation (RA 460 000)

RW 466 765
fully integrated, with glass door

RIGHT-hinged, field reversible.

— Panel ready.
— Operated with or without handle.

*Precios expresados en Dólares, no incluyen IVA.

400 series wine



Vario 400 series wine climate cabinet
RW 414

- **Width 18" (45.7 cm).**
- Two individual temperature zones, both continuously variable.
- Number of standard wine bottles: 70.

Included accessories

1 Accessory for side-by-side installation (RA 460 000)

RW 414 765
fully integrated, with glass door

RIGHT-hinged, field reversible.

- Panel ready.
- Operated with or without handle.

200 series wine



200 series 24" under-counter wine storage unit
RW 404

- **Width 23 5/8" (60 cm).**
- Under-counter wine storage unit with stainless steel-framed glass door.
- ADA compliant.
- Two individual temperature zones, both continuously variable.
- Consistent temperatures with exact control from 41°F to 64°F.
- Extendable bottle trays in beech and aluminum.
- LED lighting.
- Cushioned door closing system allowing a soft and controlled door closure.
- Door lock.
- Number of standard wine bottles: 34.
- Side-by-side installation possible with special accessory.

RW 404 761
stainless steel

RIGHT-hinged, field reversible.

Note: Stainless steel door only with handle. Cannot accommodate a custom panel.



This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Cooling accessories

		400 series										Wine			200 series
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	— Replacement activated charcoal air filter.														•		**RA 050 220** — Effectively filters odors.
	— Replacement activated charcoal air filter. — set of 2 pcs.	1 •	2 •	3 •													**RVA 450 220**
	— Storage container with transparent lid, anthracite. — Egg insert Part No.11031964.	•	•	•	•	•	•										**RA 430 100** — Ideal for storing food in your refrigerator. — Transparent lid. — Anthracite. — Approximately 12.75″ × 7″ × 3″.
	— Presenter in oak wood and aluminum in anthracite for single bottle display. — 1 piece. — Includes screw hole cover set RA 430 000.												•	•			**RA 493 060** — Oak wine bottle presenter.
	— Solid oak wood bottle support with magnetic connector.	1 •	2 •	3 •													**RVA 438 040** — set of 1 piece.
	— Screw hole cover set. 8 pieces.												•	•			**RA 430 000** — 8 covers.
	— Ethylene absorber starter kit. — For placement in a fresh climate drawer.	1 •	2 •	3 •													**Part No. 17006999** See Cleaners & Accessories Price List for pricing.

1 RVY 497 790
2 RVB 497 790
3 RVB 477 790

Cooling accessories

		400 series											Wine			200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	— Ethylene absorber refill kit.	●[4]	●[5]	●[6]													**Part No. 17007000** See Cleaners & Accessories Price List for pricing
	— Ice storage container, small. — For installation with a door opening angle of 90° the delivered ice storage container must be exchanged for the small ice storage container. This must be done prior to fixing the door.							●	●		●	●					**RA 448 220**
	— Activated charcoal water filter system for 2007–2020 Vario 400 freezer/bottom mount columns.																**Part No. 11034152** See Cleaners & Accessories Price List for pricing — UltraClarity Filter.
	— Activated charcoal water filter for 2021+ Vario 400 freezer/ bottom mount columns.	●	●	●				●	●	●	●	●					**Part No. 11032531** See Cleaners & Accessories Price List for pricing — UltraClarity Pro™ Filter .
	— Water filter bypass for home water filtration system.	●	●	●				●	●	●	●	●					**Part No. 11037377** See Cleaners & Accessories Price List for pricing — Install this bypass cartridge if you don't want to use a water filter in your refrigeration.
	— Removable shelf with oak wood frame. — Suitable for decanters and open bottles. — Includes screw hole cover set RA 430 000. — For 18" wide appliances.													●			**RA 492 160** — Ideal for decanters and open bottles. — Oak frame. — Removable.

4 RVY 497 790
5 RVB 497 790
6 RVB 477 790

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Panel reference guide



Step 1: Columns and Bottom Freezers			Step 2: Panels			Step 3: Handles (for use with custom panels)		
Column type	**Width**	**Door swing type**	**Custom panel**	**Stainless steel or dark stainless steel door panels with handles**	**Stainless steel or dark stainless steel door panels, handleless**	**Stainless steel handle for refrigerator door 44 ½″ (1131 mm)**	**Stainless steel handle for bottom freezer door 31 7/7″ (810 mm)**	**Stainless steel handle for bottom freezer door 25 7/8″ (658 mm)**
Bottom Freezers/French Door Bottom Freezers								
RVY 497 790	35 ½″	n/a	Panel Ready	RVA 421 922 dark stainless RA 421 915[1] stainless steel	RVA 428 922 dark stainless	RA 425 110	RA 425 910	—
RVB 497 790	35 ½″	Right/Reversible	Panel Ready	RVA 421 920 dark stainless RA 421 913[2] stainless steel	RVA 428 920 dark stainless	RA 425 110	RA 425 910	—
RVB 477 790	30″	Right/Reversible	Panel Ready	RVA 421 720 dark stainless	RVA 428 720 dark stainless	RA 425 110	—	RA 425 710
400 series refrigeration columns								
RC 492 705	36″	Right/Reversible	Panel Ready	RA 421 914	RA 428 914	RA 425 110	—	—
RC 472 705	30″	Right/Reversible	Panel Ready	RA 421 713	RA 428 713	RA 425 110	—	—
RC 462 705	24″	Right/Reversible	Panel Ready	RA 421 615	RA 428 615	RA 425 110	—	—
400 series freezer columns								
RF 491 705	36″	Left/Reversible	Panel Ready	RA 421 914	RA 428 914	RA 425 110	—	—
RF 471 705	30″	Left/Reversible	Panel Ready	RA 421 713	RA 428 713	RA 425 110	—	—
RF 461 705	24″	Left/Reversible	Panel Ready	RA 421 615	RA 428 615	RA 425 110	—	—
RF 411 705	18″	Left/Reversible	Panel Ready	RA 421 115	RA 428 115	RA 425 110	—	—
400 series freezer columns with ice and water dispenser								
RF 463 707	24″	Left	Panel Ready	RA 422 611	RA 428 811	RA 425 110	—	—
400 series wine climate cabinet								
RW 466 765	24″	Right	Panel Ready	RA 421 617 right-hinged RA 421 616 left-hinged	RA 428 616	RA 425 110	—	—
RW 414 765	18″	Right	Panel Ready	RA 421 117 right-hinged RA 421 116 left-hinged	RA 428 116	RA 425 110	—	—

1 Requires a larger 36″ (914 mm) wide cutout in order to accommodate the larger doors. Please order RVA 460 910 (installation accessory).
2 Requires a larger 36″ (914 mm) wide cutout in order to accommodate the larger doors. Please order RVA 460 910 (installation accessory).

Cooling accessories

		400 series										Wine			200 series
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"
	— Removable shelf with oak wood frame. — Suitable for decanters and open bottles. — Includes screw hole cover set RA 430 000. — For 24" wide appliances.												•				**RA 492 660** 24"
	— Bottle support in oak wood for convenient storage of bottles on the division plate. — For 18" wide appliances.													•			**RA 498 140** 18" — Ideal for decanters and open bottles. — Oak. — Removable.
	— Bottle support in oak wood for convenient storage of bottles on the division plate. — For 24" wide appliances.												•				**RA 498 640** 24" — Ideal for decanters and open bottles. — Oak. — Removable.
	— Dark stainless steel door panels, handleless. — For RVY 497, panel thickness ¾".	[7] •															**RVA 428 922** stainless steel, 35 ½" wide

7 RVY 497 790 only
8 RY 492 705 only

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.


Cooling accessories

		400 series									Wine			200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	— Dark stainless steel door panels, with handle. — For RVY 497, panel thickness ¾".	[9]															**RVA 421 922** stainless steel, 35 ½" wide
	— Dark stainless steel door panels, handleless. — For RVB 497, panel thickness ¾".		[10]														**RVA 428 920** stainless steel, 35 ½" wide
	— Dark stainless steel door panels, with handle. — For RVB497, panel thickness ¾".		[12]														**RVA 421 920** stainless steel, 35 ½" wide

9 RVY 497 790 only
10 RVB 497 790 only
11 RB 492 705 only
12 RVB 497 790 only

*Precios expresados en Dólares, no incluyen IVA.

Cooling accessories

		400 series									Wine			200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	— Stainless steel door panel, handleless. — For 36" wide appliances, panel thickness ¾".				•			•									**RA 428 914** stainless steel, 36" wide
	— Stainless steel door panel with handle. — For 36" wide appliances, panel thickness ¾".				•			•									**RA 421 914** stainless steel, 36" wide
	— Dark stainless steel door panels, handleless. — For RVB 477, panel thickness ¾".			• [13]													**RVA 428 720** stainless steel, 30" wide

13 RVB 477 790 only
14 RB 472 705 only

*Precios expresados en Dólares, no incluyen IVA.

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Cooling accessories

		400 series										Wine			200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	— Dark stainless steel door panels, with handle. — For RVB 477, panel thickness ¾".			•[15]													**RVA 421 720** stainless steel, 30" wide
	— Stainless steel door panel, handleless. — For 30" wide appliances, panel thickness ¾".					•			•								**RA 428 713** stainless steel, 30" wide
	— Stainless steel door panel with handle. — For 30" wide appliances, panel thickness ¾".					•			•								**RA 421 713** stainless steel, 30" wide
	— Stainless steel door panel, handleless. — For 24" wide appliances, panel thickness ¾".						•				•						**RA 428 615** stainless steel, 24" wide

15 RVB 477 790 only

Cooling accessories

		400 series										Wine			200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"
	— Stainless steel door panel with handle. — For 24" wide appliances, panel thickness ¾".						•				•						**RA 421 615** stainless steel, 24" wide
	— Stainless steel door panel, handleless. — For RF 463, panel thickness ¾".									•							**RA 428 811** stainless steel, 24" wide
	— Stainless steel door panel with handle. — For RF 463, panel thickness ¾".									•							**RA 422 611** stainless steel, 24" wide
	— Stainless steel door panel frame, handleless. — For 24" wide appliances, panel thickness ¾".												•				**RA 428 616** stainless steel, 24" wide

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Cooling accessories

		400 series										Wine		200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	— Stainless steel door panel frame with handle. — For 24" wide appliances, panel thickness ¾".												•				**RA 421 617** stainless steel, right-hinged, 24" wide **RA 421 616** stainless steel, left-hinged, 24" wide
	— Stainless steel door panel, handleless. — For 18" wide appliances, panel thickness ¾".											•					**RA 428 115** stainless steel, 18" wide
	— Stainless steel door panel with handle. — For 18" wide appliances, panel thickness ¾".											•					**RA 421 115** stainless steel, 18" wide
	— Stainless steel door panel frame, handleless. — For 18" wide appliances, panel thickness ¾".													•			**RA 428 116** stainless steel, 18" wide

Cooling accessories

		400 series												Wine			200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	— Stainless steel door panel frame with handle. — For 18" wide appliances, panel thickness ¾".													•			**RA 421 117** stainless steel, right-hinged, 18" wide **RA 421 116** stainless steel, left-hinged, 18" wide
	— Stainless steel handle for refrigerator door. — With 3 mounts, length 44 ½" (1131 mm), drilling distance between each mount 21 13/16" (554 mm).	•	•	•	•	•	•	•	•	•	•	•	•	•			**RA 425 110** stainless steel
	— Stainless steel handle for bottom freezer door. — For RB/RY 492, with 2 mounts, length 31 7/8" (810 mm), drilling distance between the mounts 31" (787 mm).	•	•														**RA 425 910** stainless steel
	— Stainless steel handle for bottom freezer door. — For RB 472 with 2 mounts, length 25 7/8" (658 mm), drilling distance between the mounts 25 1/16" (637 mm).			•													**RA 425 710** stainless steel
	— Installation kit for side-by-side installation for connecting any two columns. — Included in delivery for RF and RW.	•	•	•	•	•	•	•	•	•	•	•	•	•			**RA 460 000**
	— Additional side heating element. — 110 V. Required if appliances are installed with a distance greater than 5/8" and less than 6 5/16" next to each other and for all built-in situations in a very humid environment. — Not required if appliances are installed more than 6 5/16" apart from each other.	•	•	•	•	•	•	•	•	•	•	•	•	•			**RA 460 012**

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Cooling accessories

		400 series										Wine			200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	— Side-by-side Connection Replacement Kit 36" cutout. — Accessory for replacement side-by-side installation in unmodified niche. — Required if a RVY 497 (89.4 cm wide) is installed side-by-side into a niche which was formerly housing a combination including a RY 492, RB 492 or RC 492 (90.8 cm wide).	•															**RVA 460 900**
	— Side-by-side 1.1 with Side-by-side 2.0 combination kit. — Accessory for side-by-side installation, backward compatible. — Required if a RVY 497 is installed side-by-side with a RY, RB, RC, RF or RW of the Vario cooling 400 series.	•															**RVA 460 020**
	— Single Unit Replacement Kit 36" cutout. — Required if a RVY 497 (89.4 cm wide) is replacing a RY 492, RB 492 or RC 492 (90.8 cm wide).	•	•														**RVA 460 910**
	— Connecting element for custom cabinet fronts when panels are split vertically to create one door front.				•	•	•	•	•	•	•	•	•	•			**RA 460 020**
	— Connecting element for custom cabinet fronts for bottom freezer when panels are split vertically to create one door front.	•	•	•													**RA 460 030**
	— Used to conceal the gap between the appliance and adjacent cabinet. Long. White powder coated metal.				•	•	•	•	•	•	•	•	•	•			**RA 423 140** stainless steel
	— Side trims long - narrow for standard installation. — Side trims, 3 mm. — 2 pieces.	•	•	•													**RVA 423 141**
	— Used to conceal the gap between the appliance and adjacent cabinet. — 2 pieces, for RY and RB. — White powder coated metal.	•	•	•													**RA 423 340** stainless steel

*Precios expresados en Dólares, no incluyen IVA.

Cooling accessories

		400 series											Wine			200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"	
	— Side-by-side Connection Kit for RB and RC (included as standard with RF, RW). — For RVY 497.	•															**RVA 460 000**
	— Ventilation grill stainless steel. — For 36" wide RC appliances without water filter.				•			•									**RA 464 911** stainless steel, 36" wide
	— Ventilation grill stainless steel. — For 36" RF 491 705.							•									**RA 464 914** stainless steel, 36" wide
	— Ventilation grill stainless steel. — For 30" wide RC appliances without water filter.					•											**RA 464 711** stainless steel, 30" wide
	— Ventilation grill stainless steel. — For 30" RF 471 705.								•								**RA 464 714** stainless steel, 30" wide
	— Ventilation grill stainless steel. — For 24" RC and RW appliances without water filter.						•						•				**RA 464 611** stainless steel, 24" wide
	— Ventilation grill stainless steel. — For 24" RF 461 705.										•						**RA 464 616** stainless steel, 24" wide
	— Ventilation grill stainless steel. — For 24" RF 463 706. IWD, right-hinged.																**RA 464 617** stainless steel, 24" wide
	— Ventilation grill stainless steel. — For 24" RF 463 707. IWD, left-hinged.									•							**RA 464 618** stainless steel, 24" wide
	— Ventilation grill stainless steel. — For 18" RW appliances without water filter.													•			**RA 464 111** stainless steel, 18" wide
	— Ventilation grill stainless steel. — For 18" RF 411 705.											•					**RA 464 113** stainless steel, 18" wide

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Cooling accessories

		400 series										Wine			200 series	
		RY 492/RVY 497 36"	RB 492/RVB 497 36"	RB 472/RVB 477 30"	RC 492 705 36"	RC 472 705 30"	RC 462 705 24"	RF 491 705 36"	RF 471 705 30"	RF 463 707 24" IWD	RF 461 705 24"	RF 411 705 18"	RW 466 765 24"	RW 414 765 18"	RW 404 761 23"	RB 282 705 22"
	— Accessory for side-by-side installation of two under-counter wine climate cabinets.														•		**RA 097 600** stainless steel
	— Door lock for RW 414/466 wine storage unit. — (Includes a special drill kit).												•	•			**RA 420 010** stainless steel — For use with select wine storage cabinets. — Installation instructions sold separately, order Part No. 00720358. — To purchase the key only, order Part No. 00621432. To purchase the left cut-out cover only, order Part No. 00619231. To purchase the right cut-out cover only, order Part No. 00619232.
	— Heavy duty hinge support for a maximum door weight of 59 lb (27 kg).															•	**RA 260 000** stainless steel
	— Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite. — For 18" wide appliances.													•			**RA491161** stainless steel, 18" wide — Made of oak and aluminum. — Shelf extends for ease of use.
	— Fully extendable bottle trays with hidden telescopic rails in oak wood and solid aluminum in anthracite. — For 24" wide appliances.												•				**RA491661** stainless steel, 24" wide — Made of oak and aluminum. — Shelf extends for ease of use.

*Precios expresados en Dólares, no incluyen IVA.

Dishwashers



400 series dishwashers

Common features

- Euro Tub, appliance height 32 3/16".
- Tall Tub, appliance height 34 1/8".
- Optimal protection for sensitive glassware by low temperature drying with zeolite, optimized basket design and intelligent water softening.
- 8 programs with aqua sensor and 4 options, such as Power for cleaning and drying dishes in one hour and Intensive for particularly thorough cleaning in the lower basket.
- Flexible basket system with smooth running rails on all levels and cushioned closing of the upper and lower basket.
- Perfectly illuminated interior.
- Push-to-open function for perfect integration into handleless custom cabinet fronts.
- 3rd rack for cutlery.
- Very quiet: 42 dB.
- ENERGY STAR® certified.
- Home Connect®.



400 series dishwasher
DF 480/481

— Fully integrated.
— Remaining time projection onto the kitchen floor.

Included accessories

1 baking tray spray head.
1 Gastronorm container inserts.
1 holder for long-stemmed glasses

Without flexible hinge

DF 480 701
fully integrated, Euro Tub, ADA compliant

DF 481 701
fully integrated, Tall Tub



400 series Flexible hinge dishwasher
DF 480/481

— Fully integrated with flexible hinge.
— Lateral Info-Light.

Included accessories

1 baking tray spray head.
1 Gastronorm container inserts.
1 holder for long-stemmed glasses.

With flexible hinge

DF 480 701F
fully integrated, Euro Tub, ADA compliant

DF 481 701F
fully integrated, Tall Tub

200 series dishwashers



Dishwasher 200 series
DF 210

— Fully integrated.
— Euro Tub, appliance height 32 3/16".
— Tall Tub, appliance height 34 1/8".
— 6 programs with aqua sensor and 3 options, such as Power to reduce the cycle time and Intensive for particularly thorough cleaning in the lower basket.
— Flexible basket system.
— Bright interior lighting.
— 3rd rack for cutlery and utensils.
— Very quiet: 42 dB.
— ENERGY STAR® certified.
— Home Connect®.

Included accessories



1 tray spray head.

DF 210 701
fully integrated, Euro Tub, ADA compliant

DF 211 701
fully integrated, Tall Tub

This price list supersedes all previous price lists. Prices listed herein do not include applicable state or local taxes.

Dishwasher accessories

		400 series				200 series		
		DF 480 701	DF 481 701	DF 480 701F	DF 481 701F	DF 210 701	DF 211 701	
	— Stainless steel trim kit for all DF 210/ DF 480 dishwashers. — Set of 2, for left and right.	•		•		•		**DA 020 011** fully integrated, for Euro Tub
	— Stainless steel trim kit for all DF 211/ DF 481 dishwashers. — Set of 2, for left and right.		•		•		•	**DA 020 111** fully integrated, for Tall Tub
	— 3rd basket. — For DF 211 dishwasher. — 3rd loading level above the upper basket. — For small bowls, cups and cooking utensils. — Movable knife shelf.						•	**DA 045 060** — Ideal for washing large cutlery pieces, cooking utensils, small bowls, and espresso cups. — To be placed above upper rack. — Removable knife shelf.
	— 3rd basket. — With smooth running rails. — For DF 481 / DF 481 F dishwasher. — 3rd loading level above the upper basket. — For small bowls, cups and cooking utensils. — Movable knife shelf.		•		•			**DA 045 061** — Ideal for washing large cutlery pieces, cooking utensils, small bowls, and espresso cups. — To be placed above upper rack. — Removable knife shelf.
	— Silverware cartridge for all dishwashers. — Made of aluminum to protect silverware from corrosion. — Easy use of cartridge in the cutlery basket. — W × H × D in inches 2 1/16″× 8 9/16″ × 1 7/8″.	•	•	•	•	•	•	**DA 042 030** — Aluminum cassette protects silver cutlery from corrosion. — Simply put your silverware into the cassette. Cassette fits easily in the cutlery basket. — 8″ × 2.25″ × 1.6″.
	— Holder for long-stemmed glasses. — Offers safe positioning for up to four long-stemmed glasses during the dishwashing process and ensures an optimal cleaning result. — For positioning in the lower basket.	•	•	•	•	•	•	**DA 043 000** — Helps hold delicate glasses in place for a thorough cleaning. — Holds 4 long-stemmed glasses. — Used on lower dishwasher rack.

AKABA

akaba.mx